

Bag-3 Polyclonal Antibody

Catalog No: YT0440

Reactivity: Human; Mouse; Rat

Applications: WB;IHC;IF;ELISA

Target: Bag-3

Gene Name: BAG3

Protein Name: BAG family molecular chaperone regulator 3

O95817

Q9JLV1

Human Gene Id: 9531

Human Swiss Prot

No:

Mouse Gene ld: 29810

Mouse Swiss Prot

No:

Immunogen: The antiserum was produced against synthesized peptide derived from human

BAG3. AA range:411-460

Specificity: Bag-3 Polyclonal Antibody detects endogenous levels of Bag-3 protein.

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution : WB 1:500 - 1:2000. IHC 1:100 - 1:300. ELISA: 1:40000.. IF 1:50-200

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

1/3

Observed Band: 80kD

Background: BAG proteins compete with Hip for binding to the Hsc70/Hsp70 ATPase domain

and promote substrate release. All the BAG proteins have an approximately 45-amino acid BAG domain near the C terminus but differ markedly in their N-terminal regions. The protein encoded by this gene contains a WW domain in the N-terminal region and a BAG domain in the C-terminal region. The BAG domains of BAG1, BAG2, and BAG3 interact specifically with the Hsc70 ATPase domain in vitro and in mammalian cells. All 3 proteins bind with high affinity to the ATPase domain of Hsc70 and inhibit its chaperone activity in a Hip-repressible manner.

[provided by RefSeq, Jul 2008],

Function: function:Inhibits the chaperone activity of HSP70/HSC70 by promoting substrate

release. Has anti-apoptotic activity., similarity: Contains 1 BAG

domain.,similarity:Contains 2 WW domains.,subunit:Binds to the ATPase domain

of HSP70/HSC chaperones. Binds to Bcl-2 and PLC-gamma.,

Subcellular Nucleus . Cytoplasm . Colocalizes with HSF1 to the nucleus upon heat stress

Location: (PubMed:26159920)...

hot

Tag:

Expression : Brain, Epithelium, Liver, Lung, Placenta, T-cell, Testis, Tongue,

Sort : 1467

No3: ab92309


No4: 1

Host: Rabbit


Modifications: Unmodified

Products Images


2/3



Western blot analysis of BAG3 Antibody. The lane on the right is blocked with the BAG3 peptide.



Immunohistochemistryt analysis of paraffin-embedded human liver carcinoma, using BAG3 Antibody. The lane on the right is blocked with the BAG3 peptide.



Western blot analysis of the lysates from K562 cells using BAG3 antibody.