



CA VB Polyclonal Antibody

Catalog No :	YT0577
Reactivity :	Human;Mouse;Rat
Applications :	WB;IHC;IF;ELISA
Target :	CA VB
Fields :	>>Nitrogen metabolism;>>Metabolic pathways
Gene Name :	CA5B
Protein Name :	Carbonic anhydrase 5B mitochondrial
Human Gene Id :	11238
Human Swiss Prot No :	Q9Y2D0
Mouse Gene Id :	56078
Mouse Swiss Prot No :	Q9QZA0
Rat Gene Id :	302669
Rat Swiss Prot No :	Q66HG6
Immunogen :	The antiserum was produced against synthesized peptide derived from human CA5B. AA range:241-290
Specificity :	CA VB Polyclonal Antibody detects endogenous levels of CA VB protein.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Polyclonal, Rabbit,IgG
Dilution :	WB 1:500 - 1:2000. IHC 1:100 - 1:300. IF 1:200 - 1:1000. ELISA: 1:10000. Not yet tested in other applications.


Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml
Storage Stability :	-15°C to -25°C/1 year(Do not lower than -25°C)
Observed Band :	38kD
Cell Pathway :	Nitrogen metabolism;
Background :	Carbonic anhydrases (CAs) are a large family of zinc metalloenzymes that catalyze the reversible hydration of carbon dioxide. They participate in a variety of biological processes, including respiration, calcification, acid-base balance, bone resorption, and the formation of aqueous humor, cerebrospinal fluid, saliva, and gastric acid. They show extensive diversity in tissue distribution and in their subcellular localization. CA VB is localized in the mitochondria and shows the highest sequence similarity to the other mitochondrial CA, CA VA. It has a wider tissue distribution than CA VA, which is restricted to the liver. The differences in tissue distribution suggest that the two mitochondrial carbonic anhydrases evolved to assume different physiologic roles. [provided by RefSeq, Jul 2008],
Function :	catalytic activity:H(2)CO(3) = CO(2) + H(2)O.,cofactor:Zinc.,function:Reversible hydration of carbon dioxide.,similarity:Belongs to the alpha-carbonic anhydrase family.,tissue specificity:Strongest expression in heart, pancreas, kidney, placenta, lung, and skeletal muscle. Not expressed in liver.,
Subcellular Location :	Mitochondrion.
Expression :	Strongest expression in heart, pancreas, kidney, placenta, lung, and skeletal muscle. Not expressed in liver.
Sort :	2966
No4 :	1
Host :	Rabbit
Modifications :	Unmodified

Products Images


Western Blot analysis of 3T3 cells using CA VB Polyclonal Antibody




Immunohistochemical analysis of paraffin-embedded Human brain. Antibody was diluted at 1:100(4° overnight). High-pressure and temperature Tris-EDTA,pH8.0 was used for antigen retrieval. Negative control (right) obtained from antibody was pre-absorbed by immunogen peptide.



Immunofluorescence analysis of MCF7 cells, using CA5B Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of lysates from NIH/3T3 cells, using CA5B Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from HT-29 cells using CA5B antibody.