

## **CdkL4 Polyclonal Antibody**

Catalog No: YT0842

**Reactivity:** Human; Mouse

**Applications:** WB;IHC;IF;ELISA

Target: CdkL4

Gene Name: CDKL4

Protein Name: Cyclin-dependent kinase-like 4

Q5MAI5

Q3TZA2

Human Gene Id: 344387

**Human Swiss Prot** 

No:

**Mouse Swiss Prot** 

No:

**Immunogen:** The antiserum was produced against synthesized peptide derived from human

CDKL4. AA range:266-315

**Specificity:** CdkL4 Polyclonal Antibody detects endogenous levels of CdkL4 protein.

**Formulation :** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

**Source :** Polyclonal, Rabbit, IgG

**Dilution:** WB 1:500 - 1:2000. IHC 1:100 - 1:300. IF 1:200 - 1:1000. ELISA: 1:40000. Not

yet tested in other applications.

**Purification:** The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 36kD



**Background:** catalytic activity:ATP + a protein = ADP + a phosphoprotein.,domain:The

[NKR]KIAxRE motif seems to be a cyclin-binding region.,similarity:Belongs to the protein kinase superfamily. CMGC Ser/Thr protein kinase family. CDC2/CDKX

subfamily., similarity: Contains 1 protein kinase domain.,

**Function:** catalytic activity:ATP + a protein = ADP + a phosphoprotein.,domain:The

[NKR]KIAxRE motif seems to be a cyclin-binding region.,similarity:Belongs to the protein kinase superfamily. CMGC Ser/Thr protein kinase family. CDC2/CDKX

subfamily., similarity: Contains 1 protein kinase domain.,

Subcellular

Location:

**Sort:** 3810


Cytoplasm.

**No4**:


**Host:** Rabbit

Modifications: Unmodified


## **Products Images**




Western Blot analysis of various cells using CdkL4 Polyclonal Antibody diluted at 1:500



Immunofluorescence analysis of HeLa cells, using CDKL4 Antibody. The picture on the right is blocked with the synthesized peptide.



Immunohistochemistry analysis of paraffin-embedded human lung carcinoma tissue, using CDKL4 Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of lysates from HepG2 and COLO205 cells, using CDKL4 Antibody. The lane on the right is blocked with the synthesized peptide.