

## **Contactin 2 Polyclonal Antibody**

YT1053 **Catalog No:** 

Human; Mouse; Rat Reactivity:

**Applications:** WB;ELISA

Target: Contactin 2

Fields: >>Cell adhesion molecules

Q02246

Q61330

**Gene Name:** CNTN2

**Protein Name:** Contactin-2

**Human Gene Id:** 6900

**Human Swiss Prot** 

No:

Mouse Gene Id: 21367

**Mouse Swiss Prot** 

No:

Rat Gene Id: 25356

Rat Swiss Prot No: P22063

The antiserum was produced against synthesized peptide derived from human Immunogen:

CNTN2. AA range:111-160

**Specificity:** Contactin 2 Polyclonal Antibody detects endogenous levels of Contactin 2

protein.

Formulation: Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

**Dilution:** WB 1:500 - 1:2000. ELISA: 1:40000. Not yet tested in other applications.

1/3



**Purification:** The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

**Concentration**: 1 mg/ml

**Storage Stability:** -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 120kD

**Cell Pathway:** Cell adhesion molecules (CAMs);

**Background:** This gene encodes a member of the contactin family of proteins, part of the

immunoglobulin superfamily of cell adhesion molecules. The encoded

glycosylphosphatidylinositol (GPI)-anchored neuronal membrane protein plays a

role in the proliferation, migration, and axon guidance of neurons of the developing cerebellum. A mutation in this gene may be associated with adult

myoclonic epilepsy. [provided by RefSeg, Sep 2016].

**Function:** function: May play a role in the initial growth and guidance of axons. May be

involved in cell adhesion., similarity: Belongs to the immunoglobulin superfamily.

Contactin family., similarity: Contains 4 fibronectin type-III

domains., similarity: Contains 6 Ig-like C2-type (immunoglobulin-like)

domains., subcellular location: Attached to the neuronal membrane by a GPI-

anchor and is also released from neurons..

Subcellular

Location:

Cell membrane; Lipid-anchor, GPI-anchor. Attached to the neuronal membrane

by a GPI-anchor and is also released from neurons.

**Expression:** Amygdala, Brain, Placenta, Plasma,


**Sort :** 4431

**No4**:

**Host:** Rabbit

Modifications: Unmodified

## **Products Images**



Western blot analysis of the lysates from HUVECcells using CNTN2 antibody.