

Di-Ras1 Polyclonal Antibody

Catalog No: YT1353

Reactivity: Human;Rat;Mouse;

Applications: WB;IHC;IF;ELISA

Target: Di-Ras1

Gene Name: DIRAS1

Protein Name: GTP-binding protein Di-Ras1

O95057

Q91Z61

Human Gene Id: 148252

Human Swiss Prot

No:

Mouse Swiss Prot

No:

Immunogen: The antiserum was produced against synthesized peptide derived from human

DIRA1. AA range:149-198

Specificity: Di-Ras1 Polyclonal Antibody detects endogenous levels of Di-Ras1 protein.

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source : Polyclonal, Rabbit, IgG

Dilution: WB 1:500 - 1:2000. IHC 1:100 - 1:300. IF 1:200 - 1:1000. ELISA: 1:20000. Not

yet tested in other applications.

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 22kD



Background: DIRAS1 belongs to a distinct branch of the functionally diverse Ras (see HRAS;

MIM 190020) superfamily of monomeric GTPases.[supplied by OMIM, Apr 2004],

Function: function:Displays low GTPase activity and exist predominantly in the GTP-bound

form., similarity: Belongs to the small GTPase superfamily. Di-Ras family., tissue

specificity: Highly expressed in heart and brain.,

Subcellular

Location:

Cell membrane ; Lipid-anchor ; Cytoplasmic side .

Expression: Highly expressed in heart and brain.


Sort : 5143

No4:


Host: Rabbit

Modifications: Unmodified


Products Images



Western Blot analysis of various cells using Di-Ras1 Polyclonal Antibody



Western blot analysis of lysates from HeLa and HepG2 cells, using DIRA1 Antibody. The lane on the right is blocked with the synthesized peptide.



Immunohistochemical analysis of paraffin-embedded human tonsil. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).