

## **CRP1 Polyclonal Antibody**

Catalog No: YT1119

Reactivity: Human; Mouse; Rat

**Applications:** WB;IHC;IF;ELISA

Target: CRP1

Gene Name: CSRP1

**Protein Name:** Cysteine and glycine-rich protein 1

P21291

P97315

Human Gene Id: 1465

**Human Swiss Prot** 

No:

Mouse Gene ld: 13007

**Mouse Swiss Prot** 

No:

Rat Gene ld: 29276

Rat Swiss Prot No: P47875

Immunogen: The antiserum was produced against synthesized peptide derived from human

CRP1. AA range:51-100

**Specificity:** CRP1 Polyclonal Antibody detects endogenous levels of CRP1 protein.

**Formulation :** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

**Dilution :** WB 1:500 - 1:2000. IHC 1:100 - 1:300. ELISA: 1:20000.. IF 1:50-200

**Purification:** The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.



**Concentration**: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 22kD

**Background:** This gene encodes a member of the cysteine-rich protein (CSRP) family. This

gene family includes a group of LIM domain proteins, which may be involved in regulatory processes important for development and cellular differentiation. The LIM/double zinc-finger motif found in this gene product occurs in proteins with critical functions in gene regulation, cell growth, and somatic differentiation. Alternatively spliced transcript variants have been described. [provided by

RefSeq, Aug 2010],

**Function:** function:Could play a role in neuronal development.,similarity:Contains 1 LIM

zinc-binding domain., similarity: Contains 2 LIM zinc-binding

domains., subunit: Monomer.,

Subcellular Location:

Nucleus.

**Expression:** Amygdala, Brain, Cervix, Epithelium, Pancreas, Term placenta, Trachea, Ute


**Sort :** 4591

**No4**:


Host: Rabbit

Modifications: Unmodified


## **Products Images**



Western Blot analysis of various cells using CRP1 Polyclonal Antibody diluted at 1:1000 cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003,Inventbiotech,MN,USA).



Immunohistochemistry analysis of paraffin-embedded human brain tissue, using CRP1 Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of lysates from HeLa, HepG2, COLO, and Jurkat cells, using CRP1 Antibody. The lane on the right is blocked with the synthesized peptide.