

**DGAT2L6 Polyclonal Antibody**

<b>Catalog No :</b>	YT1330
<b>Reactivity :</b>	Human;Mouse
<b>Applications :</b>	WB;ELISA
<b>Target :</b>	DGAT2L6
<b>Gene Name :</b>	DGAT2L6
<b>Protein Name :</b>	Diacylglycerol O-acyltransferase 2-like protein 6
<b>Human Gene Id :</b>	347516
<b>Human Swiss Prot No :</b>	Q6ZPD8
<b>Mouse Swiss Prot No :</b>	A2ADU8
<b>Immunogen :</b>	The antiserum was produced against synthesized peptide derived from human DGAT2L6. AA range:271-320
<b>Specificity :</b>	DGAT2L6 Polyclonal Antibody detects endogenous levels of DGAT2L6 protein.
<b>Formulation :</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Source :</b>	Polyclonal, Rabbit,IgG
<b>Dilution :</b>	WB 1:500 - 1:2000. ELISA: 1:10000. Not yet tested in other applications.
<b>Purification :</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Concentration :</b>	1 mg/ml
<b>Storage Stability :</b>	-15°C to -25°C/1 year(Do not lower than -25°C)
<b>Observed Band :</b>	36kD

<b>Background :</b>	This gene is a member of the diacylglycerol acyltransferase 2 family. The encoded protein is a putative acyltransferase and is most likely involved in the synthesis of di- or triacylglycerol, however its substrate specificity is currently unknown. [provided by RefSeq, Feb 2015],
<b>Function :</b>	function:Probable acyltransferase uses fatty acyl-CoA as substrate (By similarity). Has no wax synthase activity to produce wax esters.,similarity:Belongs to the diacylglycerol acyltransferase family.,tissue specificity:Expressed in all tissues tested except pancreas.,
<b>Subcellular Location :</b>	Endoplasmic reticulum membrane; Multi-pass membrane protein .
<b>Expression :</b>	Expressed in all tissues tested except pancreas.
<b>Sort :</b>	5112
<b>No4 :</b>	1
<b>Host :</b>	Rabbit
<b>Modifications :</b>	Unmodified

## Products Images

