

MC5-R Polyclonal Antibody

Catalog No: YT2676

Reactivity: Human; Mouse; Rat

Applications: WB;IHC

Target: MC5-R

Fields: >>Neuroactive ligand-receptor interaction

Gene Name: MC5R

Protein Name: Melanocortin receptor 5

P33032

P41149

Human Gene Id: 4161

Human Swiss Prot

Iuman Swiss Fi

No:

Mouse Swiss Prot

No:

Rat Gene ld: 25726

Rat Swiss Prot No: P35345

Immunogen: The antiserum was produced against synthesized peptide derived from human

MC5R. AA range:271-320

Specificity: MC5-R Polyclonal Antibody detects endogenous levels of MC5-R protein.

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution: WB 1:500-2000;IHC 1:50-300

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.



Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 40kD

Cell Pathway: Neuroactive ligand-receptor interaction;

Background: This gene encodes a member of the seven-pass transmembrane G protein-

coupled melanocortin receptor protein family that stimulate cAMP signal transduction. The encoded protein is a receptor for melanocyte-stimulating hormone and adrenocorticotropic hormone and is suggested to play a role in

sebum generation. [provided by RefSeq, Jun 2010],

Function: function:Receptor for MSH (alpha, beta and gamma) and ACTH. The activity of

this receptor is mediated by G proteins which activate adenylate cyclase. This

receptor is a possible mediator of the immunomodulation properties of

melanocortins.,online information:Melanocortin receptor entry,similarity:Belongs to the G-protein coupled receptor 1 family.,tissue specificity:Expressed in the

brain but not in the melanoma cells.,

Subcellular

Location:

Cell membrane; Multi-pass membrane protein.

Expression: Expressed in the brain but not in the melanoma cells.


Sort : 9441

No4: 1


Host: Rabbit

Modifications: Unmodified


Products Images




Western Blot analysis of various cells using MC5-R Polyclonal Antibody




Western Blot analysis of 3T3 cells using MC5-R Polyclonal Antibody




Immunofluorescence analysis of MCF7 cells, using MC5R Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of lysates from K562 cells, using MC5R Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from HeLa cells using MC5R antibody.



Immunohistochemical analysis of paraffin-embedded human liver cancer. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).