

MEK Kinase-6 Polyclonal Antibody

Catalog No: YT2710

Reactivity: Human; Mouse

Applications: IHC;IF;ELISA

Target: MEK Kinase-6

Fields: >>MAPK signaling pathway

Gene Name: MAP3K6

Protein Name: Mitogen-activated protein kinase kinase 6

Human Gene Id: 9064

Human Swiss Prot

ilulliali Swiss Fio

No:

Mouse Gene Id: 53608

Mouse Swiss Prot

No:

Immunogen: The antiserum was produced against synthesized peptide derived from human

MAP3K6. AA range:281-330

Specificity: MEK Kinase-6 Polyclonal Antibody detects endogenous levels of MEK Kinase-6

protein.

O95382

Q9WTR2

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution: IHC 1:100 - 1:300. ELISA: 1:5000.. IF 1:50-200

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

1/3



Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Molecularweight: 143kD

Cell Pathway: SAPK_JNK; Regulation of Actin Dynamics; Cell Growth; Stem cell pathway;

Cell Cycle G1S; Cell Cycle G2M DNA;

MAPK_ERK_Growth;MAPK_G_Protein; B Cell Receptor

Background: This gene encodes a serine/threonine protein kinase that forms a component of

protein kinase-mediated signal transduction cascades. The encoded kinase participates in the regulation of vascular endothelial growth factor (VEGF)

expression. Alternative splicing results in multiple transcript variants. [provided by

RefSeq, Jul 2014],

Function: catalytic activity:ATP + a protein = ADP + a

phosphoprotein.,cofactor:Magnesium.,enzyme regulation:Activated by phosphorylation on Thr-806. Catalytically active only when complexed with MAP3K5, with MAP3K5 supporting the stability and the active configuration of

MAP3K6 and MAP3K6 activating MAP3K5 by direct

phosphorylation.,function:Component of a protein kinase signal transduction

cascade. Activates the JNK, but not ERK or p38 kinase

pathways.,similarity:Belongs to the protein kinase superfamily.,similarity:Belongs to the protein kinase superfamily. STE Ser/Thr protein kinase family. MAP kinase

kinase kinase subfamily., similarity: Contains 1 protein kinase

domain., subunit: Binds both upstream activators and downstream substrates in

multimolecular complexes.,

Subcellular Location:

intracellular,

Expression : Brain,PCR rescued clones,Skin,


Sort: 9529

No4: 1

Host: Rabbit

Modifications: Unmodified

Products Images



Immunohistochemistry analysis of paraffin-embedded human breast carcinoma tissue, using MAP3K6 Antibody. The picture on the right is blocked with the synthesized peptide.