

Olfactory receptor 10R2 Polyclonal Antibody

YT3263 Catalog No:

Reactivity: Human; Rat; Mouse;

WB;IF;ELISA **Applications:**

Olfactory receptor 10R2 **Target:**

Fields: >>Olfactory transduction

Gene Name: **OR10R2**

Protein Name: Olfactory receptor 10R2

Q8NGX6

Human Gene Id: 343406

Human Swiss Prot

No:

The antiserum was produced against synthesized peptide derived from human Immunogen:

OR10R2. AA range:286-335

Olfactory receptor 10R2 Polyclonal Antibody detects endogenous levels of **Specificity:**

Olfactory receptor 10R2 protein.

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Formulation:

Source: Polyclonal, Rabbit, IgG

Dilution: WB 1:500 - 1:2000. IF 1:200 - 1:1000. ELISA: 1:20000. Not yet tested in other

applications.

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

1/3



Observed Band: 36kD

Cell Pathway : Olfactory transduction;

Background: Olfactory receptors interact with odorant molecules in the nose, to initiate a

neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR)

arising from single coding-exon genes. Olfactory receptors share a

7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in

the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by

RefSeq, Jul 2008],

Function: caution:It is uncertain whether Met-1 or Met-12 is the initiator.,function:Odorant

Cell membrane; Multi-pass membrane protein.

receptor ., similarity: Belongs to the G-protein coupled receptor 1 family.,

Subcellular

Location:

Sort:


11093

No4:


Host: Rabbit

Modifications: Unmodified


Products Images



Western Blot analysis of various cells using Olfactory receptor 10R2 Polyclonal Antibody



Western blot analysis of lysates from HeLa cells, using OR10R2 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from HT-29 cells using OR10R2 antibody.