

Olfactory receptor 2A5/14 Polyclonal Antibody

YT3291 Catalog No:

Reactivity: Human; Rat; Mouse;

WB;IF;ELISA **Applications:**

Olfactory receptor 2A5/14 **Target:**

Fields: >>Olfactory transduction

Gene Name: OR2A5/OR2A14

Protein Name: Olfactory receptor 2A5/14

Human Gene Id: 135941/393046

Human Swiss Prot

No:

Q96R47/Q96R48

The antiserum was produced against synthesized peptide derived from human Immunogen:

OR2A5/2A14. AA range:241-290

Olfactory receptor 2A5/14 Polyclonal Antibody detects endogenous levels of **Specificity:**

Olfactory receptor 2A5/14 protein.

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Formulation:

Source: Polyclonal, Rabbit, IgG

Dilution: WB 1:500 - 1:2000. IF 1:200 - 1:1000. ELISA: 1:5000. Not yet tested in other

applications.

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

1/3



Observed Band: 35kD

Cell Pathway: Olfactory transduction;

Background : Olfactory receptors interact with odorant molecules in the nose, to initiate a

neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR)

arising from single coding-exon genes. Olfactory receptors share a

7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and

proteins for this organism is independent of other organisms. [provided by

RefSeq, Jul 2008],

Function: function:Odorant receptor .,similarity:Belongs to the G-protein coupled receptor

Cell membrane; Multi-pass membrane protein.

1 family.,

Subcellular

Location:


Sort: 11121

No4:


Host: Rabbit

Modifications: Unmodified

Products Images



Western blot analysis of lysates from K562 cells, using OR2A5/2A14 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from COLO205 cells using OR2A5/2A14 antibody.