

Olfactory receptor 51H1 Polyclonal Antibody

Catalog No: YT3367

Reactivity: Human; Rat; Mouse;

Applications: WB;ELISA

Target: Olfactory receptor 51H1

Gene Name: OR51H1P

Protein Name: Putative olfactory receptor 51H1

Q8NH63

Human Gene Id: 401663

Human Swiss Prot

No:

Immunogen: The antiserum was produced against synthesized peptide derived from human

OR51H1. AA range:201-250

Specificity: Olfactory receptor 51H1 Polyclonal Antibody detects endogenous levels of

Olfactory receptor 51H1 protein.

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution: WB 1:500 - 1:2000. ELISA: 1:10000. Not yet tested in other applications.

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 34kD

Background: Olfactory receptors interact with odorant molecules in the nose, to initiate a

1/2

neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008],

Function: caution:Could be the product of a pseudogene.,function:Odorant receptor

., similarity: Belongs to the G-protein coupled receptor 1 family.,

Subcellular Location:

Cell membrane; Multi-pass membrane protein.


Sort : 11196

No4: 1

Host: Rabbit

Modifications: Unmodified

Products Images



Western blot analysis of lysates from MCF-7 cells, using OR51H1 Antibody. The lane on the right is blocked with the synthesized peptide.