

Olfactory receptor 5AK3 Polyclonal Antibody

Catalog No: YT3393

Reactivity: Human; Monkey

Applications: WB;IF;ELISA

Target: Olfactory receptor 5AK3

Gene Name: OR5AK3P

Protein Name: Putative olfactory receptor 5AK3

Q8NH89

Human Gene Id: 81228

Human Swiss Prot

No:

Immunogen: The antiserum was produced against synthesized peptide derived from human

OR5AK3P. AA range:241-290

Specificity: Olfactory receptor 5AK3 Polyclonal Antibody detects endogenous levels of

Olfactory receptor 5AK3 protein.

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution: WB 1:500 - 1:2000. IF 1:200 - 1:1000. ELISA: 1:5000. Not yet tested in other

applications.

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 34kD

1/3



Background:

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008],

Function:

caution:Could be the product of a pseudogene.,function:Odorant receptor

.,similarity:Belongs to the G-protein coupled receptor 1 family.,

Subcellular Location:

Cell membrane; Multi-pass membrane protein.


Sort : 11222

No4:


Host: Rabbit

Modifications: Unmodified


Products Images



Western Blot analysis of various cells using Olfactory receptor 5AK3 Polyclonal Antibody



Western blot analysis of lysates from HUVEC and COS7 cells, using OR5AK3P Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from HepG2 cells using OR5AK3P antibody.