

Olfactory receptor 7C1 Polyclonal Antibody

Catalog No: YT3435

Reactivity: Human

Applications: WB;IF;ELISA

Target: Olfactory receptor 7C1

Fields: >>Olfactory transduction

Gene Name: OR7C1

Protein Name: Olfactory receptor 7C1

076099

Human Gene Id: 26664

Human Swiss Prot

No:

Immunogen: The antiserum was produced against synthesized peptide derived from human

OR7C1. AA range:199-248

Specificity: Olfactory receptor 7C1 Polyclonal Antibody detects endogenous levels of

Olfactory receptor 7C1 protein.

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution: WB 1:500 - 1:2000. IF 1:200 - 1:1000. ELISA: 1:20000. Not yet tested in other

applications.

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

1/3



Observed Band: 34kD

Cell Pathway: Olfactory transduction;

Background: olfactory receptor family 7 subfamily C member 1(OR7C1) Homo sapiens

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR)

arising from single coding-exon genes. Olfactory receptors share a

7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated

transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by

RefSeq, Jul 2008],

Function: function:Odorant receptor .,similarity:Belongs to the G-protein coupled receptor

1 family.,

Subcellular Location:

Cell membrane; Multi-pass membrane protein.

Expression : Pooled, Testis,

Sort: 11264


No4:

Host: Rabbit


Modifications: Unmodified

Products Images


2/3



Western Blot analysis of various cells using Olfactory receptor 7C1 Polyclonal Antibody diluted at 1:500



Western blot analysis of lysates from HeLa, HepG2, and COLO cells, using OR7C1 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from HT-29 cells using OR7C1 antibody.