


PABP3 Polyclonal Antibody

Catalog No :	YT3563
Reactivity :	Human
Applications :	WB;IHC;IF;ELISA
Target :	PABP3
Fields :	>>mRNA surveillance pathway;>>RNA degradation
Gene Name :	PABPC3
Protein Name :	Polyadenylate-binding protein 3
Human Gene Id :	5042
numan Gene id .	
Human Swiss Prot No :	Q9H361
Immunogen :	The antiserum was produced against synthesized peptide derived from human PABPC3. AA range:352-401
Specificity :	PABP3 Polyclonal Antibody detects endogenous levels of PABP3 protein.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Polyclonal, Rabbit,IgG
Dilution :	WB 1:500 - 1:2000.IHC:1:50-300 ELISA: 1:20000 IF 1:50-200
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity- chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml
Storage Stability :	-15°C to -25°C/1 year(Do not lower than -25°C)
Observed Band :	70kD




Background :	Messenger RNA stability and translation initiation are extensively under the control of poly(A)-binding proteins (PABP). See PABPC1 (MIM 604679) for background information.[supplied by OMIM, Jul 2002],
Function :	function:Binds the poly(A) tail of mRNA. May be involved in cytoplasmic regulatory processes of mRNA metabolism. Binds poly(A) with a slightly lower affinity as compared to PABPC1.,similarity:Belongs to the polyadenylate-binding protein type-1 family.,similarity:Contains 1 PABC domain.,similarity:Contains 4 RRM (RNA recognition motif) domains.,tissue specificity:Testis specific.,
Subcellular	Cytoplasm.
Location :	
Expression :	Testis specific.
Sort :	11566
No4 :	1
Host :	Rabbit
Modifications :	Unmodified

Products Images







Western blot analysis of PABPC3 Antibody. The lane on the right is blocked with the PABPC3 peptide.

Immunohistochemistryt analysis of paraffin-embedded human testis, using PABPC3 Antibody. The lane on the right is blocked with the PABPC3 peptide.