

RGS5 Polyclonal Antibody

Catalog No: YT4075

Reactivity: Human; Mouse; Rat

Applications: WB;IHC;IF;ELISA

Target: RGS5

Gene Name: RGS5

Protein Name: Regulator of G-protein signaling 5

O15539

O08850

Human Gene Id: 8490

Human Swiss Prot

No:

Mouse Gene ld: 19737

Mouse Swiss Prot

No:

Rat Gene ld: 54294

Rat Swiss Prot No: P49800

Immunogen: The antiserum was produced against synthesized peptide derived from human

RGS5. AA range:89-138

Specificity: RGS5 Polyclonal Antibody detects endogenous levels of RGS5 protein.

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution : WB 1:500 - 1:2000. IHC 1:100 - 1:300. ELISA: 1:20000.. IF 1:50-200

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.



Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 20kD

Tag:

Background : This gene encodes a member of the regulators of G protein signaling (RGS)

family. The RGS proteins are signal transduction molecules which are involved in the regulation of heterotrimeric G proteins by acting as GTPase activators. This gene is a hypoxia-inducible factor-1 dependent, hypoxia-induced gene which is involved in the induction of endothelial apoptosis. This gene is also one of three genes on chromosome 1q contributing to elevated blood pressure. Alternatively spliced transcript variants have been identified. [provided by RefSeq, Dec 2011],

Function: function:Inhibits signal transduction by increasing the GTPase activity of G

protein alpha subunits thereby driving them into their inactive GDP-bound form. Binds to G(i)-alpha and G(o)-alpha, but not to G(s)-alpha.,similarity:Contains 1

RGS domain.,

hot

Subcellular [Isoform 1]: Cytoplasm . Membrane .; [Isoform 2]: Cytoplasm .

Location :

Expression: Aorta, Brain, Human cervix, Liver, Neuroblastoma, Normal aorta,

Sort : 14435


No4: 1

Host: Rabbit


Modifications : Unmodified

Products Images


2/3



Western blot analysis of RGS5 Antibody. The lane on the right is blocked with the RGS5 peptide.



Immunohistochemistryt analysis of paraffin-embedded human breast carcinoma, using RGS5 Antibody. The lane on the right is blocked with the RGS5 peptide.



Western blot analysis of the lysates from HepG2 cells using RGS5 antibody.