

**Ribosomal Protein S11 Polyclonal Antibody**


<b>Catalog No :</b>	YT4121
<b>Reactivity :</b>	Human;Mouse;Rat
<b>Applications :</b>	WB;IHC;IF;ELISA
<b>Target :</b>	Ribosomal Protein S11
<b>Fields :</b>	>>Ribosome;>>Coronavirus disease - COVID-19
<b>Gene Name :</b>	RPS11
<b>Protein Name :</b>	40S ribosomal protein S11
<b>Human Gene Id :</b>	6205
<b>Human Swiss Prot No :</b>	P62280
<b>Mouse Gene Id :</b>	27207
<b>Mouse Swiss Prot No :</b>	P62281
<b>Rat Gene Id :</b>	81774
<b>Rat Swiss Prot No :</b>	P62282
<b>Immunogen :</b>	The antiserum was produced against synthesized peptide derived from human RPS11. AA range:71-120
<b>Specificity :</b>	Ribosomal Protein S11 Polyclonal Antibody detects endogenous levels of Ribosomal Protein S11 protein.
<b>Formulation :</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Source :</b>	Polyclonal, Rabbit,IgG
<b>Dilution :</b>	WB 1:500 - 1:2000. IHC 1:100 - 1:300. ELISA: 1:40000.. IF 1:50-200

---


<b>Purification :</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Concentration :</b>	1 mg/ml
<b>Storage Stability :</b>	-15°C to -25°C/1 year(Do not lower than -25°C)
<b>Observed Band :</b>	18kD
<b>Cell Pathway :</b>	Ribosome;
<b>Background :</b>	Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. This gene encodes a member of the S17P family of ribosomal proteins that is a component of the 40S subunit. This gene is co-transcribed with the small nucleolar RNA gene U35B, which is located in the third intron. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed throughout the genome. [provided by RefSeq, Jul 2012],
<b>Function :</b>	similarity:Belongs to the ribosomal protein S17P family.,
<b>Subcellular Location :</b>	nucleoplasm,nucleolus,cytoplasm,cytosol,ribosome,focal adhesion,membrane,cytosolic small ribosomal subunit,extracellular matrix,extracellular exosome,
<b>Expression :</b>	B-cell,Eye,Lung,Placenta,Prostate,T-cell,
<b>Sort :</b>	14488
<b>No4 :</b>	1
<b>Host :</b>	Rabbit
<b>Modifications :</b>	Unmodified

---


## Products Images



Western blot analysis of lysates from HeLa and Jurkat cells, using RPS11 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from HeLa cells using RPS11 antibody.



Immunohistochemical analysis of paraffin-embedded human tonsil. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).