

TBX2 Polyclonal Antibody

Catalog No :	YT4568
Reactivity :	Human;Mouse
Applications :	WB;IHC;IF;ELISA
Target :	TBX2
Gene Name :	TBX2
Protein Name :	T-box transcription factor TBX2
Human Gene Id :	6909
Human Swiss Prot No :	Q13207
Mouse Gene Id :	21385
Mouse Swiss Prot No :	Q60707
Immunogen :	The antiserum was produced against synthesized peptide derived from human TBX2. AA range:251-300
Specificity :	TBX2 Polyclonal Antibody detects endogenous levels of TBX2 protein.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Polyclonal, Rabbit,IgG
Dilution :	WB 1:500 - 1:2000. IHC 1:100 - 1:300. ELISA: 1:20000.. IF 1:50-200
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml
Storage Stability :	-15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band : 74kD

Background : This gene is a member of a phylogenetically conserved family of genes that share a common DNA-binding domain, the T-box. T-box genes encode transcription factors involved in the regulation of developmental processes. This gene product is the human homolog of mouse Tbx2, and shares strong sequence similarity with Drosophila omb protein. Expression studies indicate that this gene may have a potential role in tumorigenesis as an immortalizing agent. Transcript heterogeneity due to alternative polyadenylation has been noted for this gene. [provided by RefSeq, Jul 2008],

Function : function:Involved in the transcriptional regulation of genes required for mesoderm differentiation. Probably plays a role in limb pattern formation.,similarity:Contains 1 T-box DNA-binding domain.,tissue specificity:Expressed primarily in adult in kidney, lung, and placenta. Weak expression in heart and ovary.,

Subcellular Location : Nucleus .

Expression : Expressed primarily in adult in kidney, lung, and placenta. Weak expression in heart and ovary.


Sort : 16978

No4 : 1


Host : Rabbit

Modifications : Unmodified


Products Images



Western Blot analysis of various cells using TBX2 Polyclonal Antibody cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003, Inventbiotech, MN, USA).



Western blot analysis of lysates from HeLa cells, using TBX2 Antibody. The lane on the right is blocked with the synthesized peptide.



Immunohistochemical analysis of paraffin-embedded human brain tumor. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).