

Smo Polyclonal Antibody

Catalog No: YT4345

Reactivity: Human; Mouse; Rat

Applications: WB;ELISA

Target: Smo

Fields: >>Hedgehog signaling pathway;>>Axon guidance;>>Pathways in

cancer;>>Proteoglycans in cancer;>>Basal cell carcinoma

Gene Name: SMO

Protein Name: Smoothened homolog

Q99835

P56726

Human Gene Id: 6608

Human Swiss Prot

No:

Mouse Gene ld: 319757

Mouse Swiss Prot

No:

Rat Gene Id: 25273

Rat Swiss Prot No: P97698

Immunogen : The antiserum was produced against synthesized peptide derived from human

SMO. AA range:68-117

Specificity: Smo Polyclonal Antibody detects endogenous levels of Smo protein.

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution: WB 1:500 - 1:2000. ELISA: 1:10000. Not yet tested in other applications.

1/3



Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 86kD

Cell Pathway: Hedgehog; Pathways in cancer; Basal cell carcinoma;

Background: The protein encoded by this gene is a G protein-coupled receptor that interacts

with the patched protein, a receptor for hedgehog proteins. The encoded protein tranduces signals to other proteins after activation by a hedgehog protein/patched

protein complex. [provided by RefSeq, Jul 2010],

Function: disease:Defects in SMO are involved in basal cell carcinoma (BCC).,function:G

protein-coupled receptor that probably associates with the patched protein (PTCH) to transduce the hedgehog's proteins signal. Binding of sonic hedgehog (SHH) to its receptor patched is thought to prevent normal inhibition by patched of smoothened (SMO).,similarity:Belongs to the G-protein coupled receptor Fz/Smo

family., similarity: Contains 1 FZ (frizzled) domain.,

Subcellular
Location:

Membrane ; Multi-pass membrane protein . Cell projection, cilium .

Expression: Brain, Embryonic lung, Synovial membrane,

Tag: orthogonal

Sort: 1206


No4:

Host: Rabbit


Modifications: Unmodified

Products Images


2/3



Sun, Mingjuan, et al. "Hedgehog pathway is involved in nitidine chloride induced inhibition of epithelial-mesenchymal transition and cancer stem cells-like properties in breast cancer cells." Cell & bioscience 6.1 (2016): 44.



Western blot analysis of lysates from HUVEC cells, using SMO Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from HepG2 cells using SMO antibody.