

SnoN Polyclonal Antibody

Catalog No :	YT4356
Reactivity :	Human;Mouse
Applications :	WB;IHC;IF;ELISA
Target :	SnoN
Fields :	>>Signaling pathways regulating pluripotency of stem cells
Gene Name :	SKIL
Protein Name :	Ski-like protein
Human Gene Id :	6498
Human Swiss Prot No :	P12757
Mouse Gene Id :	20482
Mouse Swiss Prot No :	Q60665
Immunogen :	The antiserum was produced against synthesized peptide derived from human SKIL. AA range:616-665
Specificity :	SnoN Polyclonal Antibody detects endogenous levels of SnoN protein.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Polyclonal, Rabbit,IgG
Dilution :	WB 1:500 - 1:2000. IHC 1:100 - 1:300. ELISA: 1:40000.. IF 1:50-200
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml

Storage Stability : -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band : 77kD

Background : The protein encoded by this gene is a component of the SMAD pathway, which regulates cell growth and differentiation through transforming growth factor-beta (TGFB). In the absence of ligand, the encoded protein binds to the promoter region of TGFB-responsive genes and recruits a nuclear repressor complex. TGFB signaling causes SMAD3 to enter the nucleus and degrade this protein, allowing these genes to be activated. Four transcript variants encoding three different isoforms have been found for this gene. [provided by RefSeq, Oct 2011],

Function : function:May have regulatory role in cell division or differentiation in response to extracellular signals.,similarity:Belongs to the SKI family.,subunit:Interacts with SMAD2, SMAD3 and RNF111.,tissue specificity:SNON and SNOA isoforms are widely expressed. Highest expression is found in skeletal muscle, followed by placenta and lung. Lowest expression in heart, brain and pancreas. Expression of isoform SNOI is restricted to skeletal muscle.,

Subcellular Location : acrosomal vesicle,nucleus,nucleoplasm,transcription factor complex,cytoplasm,PML body,transcriptional repressor complex,protein complex,

Expression : Isoform SNON and isoform SNOA are widely expressed. Highest expression is found in skeletal muscle, followed by placenta and lung. Lowest expression in heart, brain and pancreas. Isoform SNOI expression is restricted to skeletal muscle.


Sort : 16473

No4 : 1


Host : Rabbit

Modifications : Unmodified


Products Images



Western Blot analysis of various cells using SnoN Polyclonal Antibody diluted at 1:1000 cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003, Inventbiotech, MN, USA).



Western blot analysis of lysates from HUVEC and Jurkat cells, using SKIL Antibody. The lane on the right is blocked with the synthesized peptide.



Immunohistochemical analysis of paraffin-embedded human tonsil. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).