

## **T2R45 Polyclonal Antibody**

Catalog No: YT4511

Reactivity: Human

**Applications:** WB;ELISA

Target: T2R45

**Fields:** >>Taste transduction

Gene Name: TAS2R45

**Protein Name:** Taste receptor type 2 member 45

P59539

Human Gene Id: 259291

**Human Swiss Prot** 

No:

\_\_\_\_

**Immunogen:** The antiserum was produced against synthesized peptide derived from human

TAS2R45. AA range:221-270

**Specificity:** T2R45 Polyclonal Antibody detects endogenous levels of T2R45 protein.

**Formulation :** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

**Dilution:** WB 1:500 - 1:2000. ELISA: 1:5000. Not yet tested in other applications.

**Purification:** The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

**Observed Band:** 35kD

1/3

**Cell Pathway:** Taste transduction;

**Background:** function: Receptor that may play a role in the perception of bitterness and is

gustducin-linked. May play a role in sensing the chemical composition of the gastrointestinal content. The activity of this receptor may stimulate alpha gustducin, mediate PLC-beta-2 activation and lead to the gating of

TRPM5.,miscellaneous:Most taste cells may be activated by a limited number of

bitter compounds; individual taste cells can discriminate among bitter

stimuli.,similarity:Belongs to the G-protein coupled receptor T2R family.,tissue specificity:Expressed in subsets of taste receptor cells of the tongue and

exclusively in gustducin-positive cells.,

**Function:** function:Receptor that may play a role in the perception of bitterness and is

gustducin-linked. May play a role in sensing the chemical composition of the gastrointestinal content. The activity of this receptor may stimulate alpha gustducin, mediate PLC-beta-2 activation and lead to the gating of

TRPM5.,miscellaneous:Most taste cells may be activated by a limited number of

bitter compounds; individual taste cells can discriminate among bitter

stimuli.,similarity:Belongs to the G-protein coupled receptor T2R family.,tissue specificity:Expressed in subsets of taste receptor cells of the tongue and

exclusively in gustducin-positive cells.,

Subcellular Membrane; Multi-pass membrane protein.

Location:

**Expression:** Expressed in subsets of taste receptor cells of the tongue and exclusively in

gustducin-positive cells.

**Sort**: 16861


No4: 1

**Host:** Rabbit


Modifications: Unmodified

## **Products Images**

2/3



Western blot analysis of TAS2R45 Antibody. The lane on the right is blocked with the TAS2R45 peptide.



Western blot analysis of the lysates from HepG2 cells using TAS2R45 antibody.