

TBC1D3A/B/C Polyclonal Antibody

Catalog No: YT4559

Reactivity: Human

Applications: WB;IF;ELISA

Target: TBC1D3A/B/C

Gene Name: TBC1D3

Protein Name: TBC1 domain family member 3

Human Gene Id: 414059/727735/84218/643947/414060/653380/654341/729873

Human Swiss Prot

No:

Immunogen: The antiserum was produced against synthesized peptide derived from human

TBC1D3. AA range:481-530

Q8IZP1/A6NDS4/Q6IPX1

Specificity: TBC1D3A/B/C Polyclonal Antibody detects endogenous levels of TBC1D3A/B/C

protein.

Formulation: Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution: WB 1:500 - 1:2000. ELISA: 1:20000.. IF 1:50-200

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 62kD

Background: This gene represents one of a cluster of related genes found on chromosome 17.



The proteins encoded by this gene family contain a TBC (Tre-2, Bub2p, and Cdc16p) domain and may be involved in GTPase signaling and vesicle trafficking. [provided by RefSeq, Apr 2014],

Function:

disease:May be involved in forms of prostate cancers.,function:Acts as a GTPase activating protein for RAB5. Does not act on RAB4 or RAB11.,similarity:Contains 1 Rab-GAP TBC domain.,tissue specificity:Expressed in liver, skeletal muscle, kidney, pancreas, spleen, testis, ovary, small intestine and peripheral blood leukocytes. Overexpressed in prostate cancers.,tissue specificity:Expressed in pancreas, thymus and testis.,

Subcellular Location:

Cell membrane; Lipid-anchor. Associated with lipid rafts.

Expression:

Expressed in liver, skeletal muscle, kidney, pancreas, spleen, testis, ovary, small intestine and peripheral blood leukocytes. Overexpressed in prostate cancers.

Sort :

16952

No4:

1


Host:

Rabbit


Modifications:

Unmodified

Products Images



Western Blot analysis of various cells using TBC1D3A/B/C Polyclonal Antibody



Western blot analysis of lysates from HeLa cells, using TBC1D3 Antibody. The lane on the right is blocked with the synthesized peptide.