

X11 γ Polyclonal Antibody

Catalog No :	YT4911
Reactivity :	Human;Rat;Mouse;
Applications :	WB;IHC;IF;ELISA
Target :	X11 γ
Gene Name :	APBA3
Protein Name :	Amyloid beta A4 precursor protein-binding family A member 3
Human Gene Id :	9546
Human Swiss Prot No :	O96018
Mouse Swiss Prot No :	O88888
Immunogen :	The antiserum was produced against synthesized peptide derived from human APBA3. AA range:361-410
Specificity :	X11 γ Polyclonal Antibody detects endogenous levels of X11 γ protein.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Polyclonal, Rabbit,IgG
Dilution :	WB 1:500 - 1:2000. IHC 1:100 - 1:300. ELISA: 1:40000.. IF 1:50-200
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml
Storage Stability :	-15°C to -25°C/1 year(Do not lower than -25°C)
Observed Band :	61kD

Background : amyloid beta precursor protein binding family A member 3(APBA3) Homo sapiens The protein encoded by this gene is a member of the X11 protein family. It is an adapter protein that interacts with the Alzheimer's disease amyloid precursor protein. This gene product is believed to be involved in signal transduction processes. This gene is a candidate gene for Alzheimer's disease. [provided by RefSeq, Jul 2008],

Function : domain:Composed of an N-terminal domain, a middle phosphotyrosine-binding domain (PID/PTB) that mediates binding with the cytoplasmic domain of the beta-amyloid precursor protein, and two C-terminal PDZ domains thought to attach proteins to the plasma membrane.,function:May modulate processing of the beta-amyloid precursor protein (APP) and hence formation of beta-APP.,similarity:Contains 1 PDZ (DHR) domain.,similarity:Contains 1 PID domain.,similarity:Contains 2 PDZ (DHR) domains.,subunit:Binds to the cytoplasmic domain of amyloid protein (APP) in vivo.,tissue specificity:Expressed in all the tissues examined with lower levels in brain and testis.,

Subcellular Location : Cytoplasm, perinuclear region .

Expression : Expressed in all tissues examined with lower levels in brain and testis.


Sort : 24338


No4 : 1

Host : Rabbit


Modifications : Unmodified

Products Images





Western blot analysis of the lysates from COLO205 cells using APBA3 antibody.



Immunohistochemical analysis of paraffin-embedded human Gastric adenocarcinoma. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).