

ET-1 Polyclonal Antibody

Catalog No: YT5147

Reactivity: Human; Rat; Mouse;

Applications: WB;IHC;IF;ELISA

Target: ET-1

Fields: >>cAMP signaling pathway;>>HIF-1 signaling pathway;>>Neuroactive ligand-

receptor interaction;>>Vascular smooth muscle contraction;>>TNF signaling

pathway;>>Melanogenesis;>>Renin secretion;>>Relaxin signaling

pathway;>>AGE-RAGE signaling pathway in diabetic complications;>>Pathways

in cancer;>>Hypertrophic cardiomyopathy;>>Fluid shear stress and

atherosclerosis

P05305

P22387

Gene Name: EDN1

Protein Name: Endothelin-1

Human Gene Id: 1906

Human Swiss Prot

No:

Mouse Swiss Prot

No:

Immunogen: The antiserum was produced against synthesized peptide derived from the

Internal region of human EDN1. AA range:131-180

Specificity: ET-1 Polyclonal Antibody detects endogenous levels of ET-1 protein.

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution : IHC: 100-300.WB 1:500 - 1:2000. ELISA: 1:20000.. IF 1:50-200

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.



Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 25kD

Cell Pathway: Melanogenesis;

Background: This gene encodes a preproprotein that is proteolytically processed to generate

a secreted peptide that belongs to the endothelin/sarafotoxin family. This peptide is a potent vasoconstrictor and its cognate receptors are therapeutic targets in the treatment of pulmonary arterial hypertension. Aberrant expression of this gene may promote tumorigenesis. Alternative splicing results in multiple transcript

variants. [provided by RefSeq, Oct 2015],

Function: function: Endothelins are endothelium-derived vasoconstrictor peptides.,online

information:Endothelin entry, similarity:Belongs to the endothelin/sarafotoxin family., tissue specificity:Expressed in lung, placental stem villi vessels and in

cultured placental vascular smooth muscle cells.,

Subcellular Secreted.
Location:

Expression: Expressed in lung, placental stem villi vessels and in cultured placental vascular

smooth muscle cells.

Tag: hot


Sort : 5776

No4:


Host: Rabbit

Modifications: Unmodified


Products Images



Western Blot analysis of mouse lung cells using ET-1 Polyclonal Antibody. Secondary antibody(catalog#:RS0002) was diluted at 1:20000



Western blot analysis of lysate from mouse lung, using EDN1 Antibody.



Immunohistochemical analysis of paraffin-embedded human tonsil. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 30min).