

## **IL-29 Polyclonal Antibody**

Catalog No: YT5298

Reactivity: Human

**Applications:** WB;ELISA

Target: IL-29

**Fields:** >>Cytokine-cytokine receptor interaction;>>JAK-STAT signaling pathway

Gene Name: IL29

Protein Name: Interleukin-29

Human Gene Id: 282618

**Human Swiss Prot** 

No:

**Immunogen:** The antiserum was produced against synthesized peptide derived from the

Internal region of human IL29. AA range:121-170

**Specificity:** IL-29 Polyclonal Antibody detects endogenous levels of IL-29 protein.

**Formulation :** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Q8IU54

**Dilution:** WB 1:500 - 1:2000. ELISA: 1:20000. Not yet tested in other applications.

**Purification:** The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 21kD

1/3

**Cell Pathway :** Cytokine-cytokine receptor interaction; Jak\_STAT;

Background: This gene encodes a cytokine distantly related to type I interferons and the IL-10

family. This gene, interleukin 28A (IL28A), and interleukin 28B (IL28B) are three

closely related cytokine genes that form a cytokine gene cluster on a

chromosomal region mapped to 19q13. Expression of the cytokines encoded by the three genes can be induced by viral infection. All three cytokines have been shown to interact with a heterodimeric class II cytokine receptor that consists of interleukin 10 receptor, beta (IL10RB) and interleukin 28 receptor, alpha

(IL28RA). [provided by RefSeq, Jul 2008],

**Function:** function:Cytokine with immunomodulatory activity. May play a role in antiviral

immunity. Up-regulates MHC class I antigen expression. Ligand for the

heterodimeric class II cytokine receptor composed of IL10RB and IL28RA. The

ligand/receptor complex seems to signal through the Jak-STAT pathway.,induction:By viral infections or double stranded RNA.,online information:Interleukin-29 entry,similarity:Belongs to the IL-28/IL-29 family.,

Subcellular Location:

Secreted.


**Sort :** 8490

No4:

Host: Rabbit


**Modifications:** Unmodified

## **Products Images**



Western Blot analysis of L929 cells using IL-29 Polyclonal Antibody. Secondary antibody(catalog#:RS0002) was diluted at 1:20000





Western blot analysis of lysate from L929 cells, using IL29 Antibody.