

## mTOR (phospho Ser2448) (PT0498R) PT® Rabbit mAb

Catalog No :	YM8326
Reactivity :	Human; Mouse; Rat;
Applications :	WB;IHC;IF;IP;ELISA
Target :	mTOR
Fields :	>>EGFR tyrosine kinase inhibitor resistance;>>Endocrine resistance;>>ErbB signaling pathway;>>HIF-1 signaling pathway;>>Phospholipase D signaling pathway;>>Autophagy - other;>>Autophagy - animal;>>mTOR signaling pathway;>>PI3K-Akt signaling pathway;>>AMPK signaling pathway;>>Longevity regulating pathway;>>Longevity regulating pathway - multiple species;>>Cellular senescence;>>Apelin signaling pathway;>>Neutrophil extracellular trap formation;>>JAK-STAT signaling pathway;>>Th17 cell differentiation;>>Thermogenesis;>>Insulin signaling pathway;>>Thyroid hormone signaling pathway;>>Adipocytokine signaling pathway;>>Type II diabetes mellitus;>>Insulin resistance;>>Growth hormone synthesis, secretion and action;>>Alzheimer disease;>>Amyotrophic lateral sclerosis;>>Huntington disease;>>Spinocerebellar ataxia;>>Pathways of neurodegeneration - multiple diseases;>>Shigellosis;>>Human cytomegalovirus infection;>>Human papillomavirus infection;>>Kaposi sarcoma-associated herpesvirus infection;>>He
Gene Name :	MTOR
Protein Name :	Serine/threonine-protein kinase mTOR
Human Gene Id :	2475
Human Swiss Prot No :	P42345
Mouse Gene Id :	56717
Mouse Swiss Prot No :	Q9JLN9
Rat Gene Id :	56718
Rat Swiss Prot No :	P42346



Best Tools for immunolog	gy Research
Specificity :	endogenous
Formulation :	PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA
Source :	Monoclonal, rabbit, IgG, Kappa
Dilution :	IHC 1:500-1:2000;WB 1:2000-1:10000;IF 1:200-1:1000;ELISA
	1:5000-1:20000;IP 1:50-1:200;
<b>Purification :</b>	Protein A
Storage Stability :	-15°C to -25°C/1 year(Do not lower than -25°C)
Molecularweight :	289kD
Molecular weight .	LOOKD
Observed Band :	250kD
Observed Dand.	23000
Call Dathway	Regulates Angiaganasia, Insulin Resenter, ErbR/UER, mTOR, R. Coll Resenter,
Cell Pathway :	Regulates Angiogenesis; Insulin Receptor; ErbB/HER; mTOR; B Cell Receptor; PI3K/Akt; AMPK
Deckerround	The protein encoded by this game belongs to a family of pheephotidylinesitel
Background :	The protein encoded by this gene belongs to a family of phosphatidylinositol kinase-related kinases. These kinases mediate cellular responses to stresses
	such as DNA damage and nutrient deprivation. This protein acts as the target for
	the cell-cycle arrest and immunosuppressive effects of the FKBP12-rapamycin
	complex. The ANGPTL7 gene is located in an intron of this gene. [provided by
	RefSeq, Sep 2008],
Function :	function:Acts as the target for the cell-cycle arrest and immunosuppressive
	effects of the FKBP12-rapamycin complex. Part of the TORC2 complex which
	plays a critical role in AKT1 Ser-473 phosphorylation, and may modulate the
	phosphorylation of PKCA and regulate actin cytoskeleton
	organization., similarity: Belongs to the PI3/PI4-kinase family., similarity: Contains 1
	FAT domain., similarity: Contains 1 FATC domain., similarity: Contains 1 PI3K/PI4K
	domain.,similarity:Contains 7 HEAT repeats.,subunit:Interacts with the FKBP12-rapamycin complex. Binds UBQLN1. Forms part of the mammalian
	target of rapamycin 2 complex. (TORC2) comprised of FRAP1, GBL, PRR5,
	RICTOR and SIN. TORC2 does not bind to and is not sensitive to
	FKBP12-rapamycin. Binds directly to PRR5 and RICTOR within the TORC2
	complex.,tissue specificity:Expressed in numerous tissues, with highest levels in
	testis.,
Subcellular	Cytoplasm
Location :	
Expression :	Expressed in numerous tissues, with highest levels in testis.




Best Tools for immunology Research		
Tag :	hot,recombinant	
-		
Sort :	1	
No3 :	ab134903	
No4 :	1	
Host :	Rabbit	
Modifications :	phospho	

## kDa te<sup>38</sup> te<sup>17</sup> te<sup>135</sup> 300 mTOR (phospho Ser2448) 180 mTOR (phospho Ser2448) 130 100 70 55


## **Products Images**

Various whole cell lysates were separated by 4-8% SDS-PAGE, and the membrane was blotted with anti-mTOR (phospho Ser2448) (PT0498R) antibody. The HRP-conjugated Goat anti-Rabbit IgG(H + L) antibody was used to detect the antibody. Lane 1: Hela Lane 2: MCF7 Lane 3: NIH-3T3 Predicted band size: 289kDa Observed band size: 250kDa



Human colon carcinoma was stained with anti-mTOR (phospho Ser2448) (PT0498R) rabbit antibody





Human endometrium carcinoma was stained with anti-mTOR (phospho Ser2448) (PT0498R) rabbit antibody

Mouse colon was stained with anti-mTOR (phospho Ser2448) (PT0498R) rabbit antibody

Rat colon was stained with anti-mTOR (phospho Ser2448) (PT0498R) rabbit antibody