

LIGO4 rabbit pAb

| | |
|------------------------------|---|
| Catalog No : | YT6327 |
| Reactivity : | Human;Mouse |
| Applications : | WB;ELISA;IHC |
| Target : | LIGO4 |
| Gene Name : | LINGO4 LRRN6D UNQ9248/PRO34002 |
| Protein Name : | LIGO4 |
| Human Gene Id : | 339398 |
| Human Swiss Prot No : | Q6UY18 |
| Mouse Gene Id : | 320747 |
| Mouse Swiss Prot No : | Q149C3 |
| Immunogen : | Synthesized peptide derived from human LIGO4 AA range: 374-424 |
| Specificity : | This antibody detects endogenous levels of LIGO4 at Human/Mouse |
| Formulation : | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Source : | Polyclonal, Rabbit,IgG |
| Dilution : | WB 1:500-2000;IHC 1:50-300; ELISA 2000-20000 |
| Purification : | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| Concentration : | 1 mg/ml |
| Storage Stability : | -15°C to -25°C/1 year(Do not lower than -25°C) |

Molecularweight : 65kD

Function : similarity:Contains 1 Ig-like C2-type (immunoglobulin-like) domain.,similarity:Contains 13 LRR (leucine-rich) repeats.,

Subcellular Location : Membrane ; Single-pass type I membrane protein .


Sort : 9185

No4 : 1


Host : Rabbit

Modifications : Unmodified

Products Images



Western blot analysis of lysates from CACO2 cells, primary antibody was diluted at 1:1000, 4° over night



Immunohistochemical analysis of paraffin-embedded human Gastric adenocarcinoma. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).