

ATS6 rabbit pAb

YT6475 Catalog No:

Reactivity: Human

Applications: WB

Target: ATS6

Gene Name: ADAMTS6

Protein Name: ATS6

Human Gene Id: 11174

Human Swiss Prot

No:

Q9UKP5

Synthesized peptide derived from human ATS6 AA range: 989-1039 Immunogen:

Specificity: This antibody detects endogenous levels of ATS6 at Human

Formulation: Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

WB 1 ? 500-2000 **Dilution:**

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

-15°C to -25°C/1 year(Do not lower than -25°C) **Storage Stability:**

Molecularweight: 123kD

This gene encodes a member of the ADAMTS (a disintegrin and **Background:**

> metalloproteinase with thrombospondin motifs) protein family. Members of the family share several distinct protein modules, including a propeptide region, a



metalloproteinase domain, a disintegrin-like domain, and a thrombospondin type 1 (TS) motif. Individual members of this family differ in the number of C-terminal TS motifs, and some have unique C-terminal domains. The encoded preproprotein is proteolytically processed to generate the mature enzyme. Expression of this gene may be regulated by the cytokine TNF-alpha. [provided by RefSeq, Mar 2016],

Function:

cofactor:Binds 1 zinc ion per subunit.,domain:The spacer domain and the TSP type-1 domains are important for a tight interaction with the extracellular matrix.,induction:Isoform 1 and 2 expressions are up-regulated by TNF-alpha in retinal pigment epithelial cells.,PTM:The precursor is cleaved by a furin endopeptidase.,similarity:Contains 1 disintegrin domain.,similarity:Contains 1 peptidase M12B domain.,similarity:Contains 1 PLAC domain.,similarity:Contains 5 TSP type-1 domains.,tissue specificity:Expressed at low levels in placenta and barely detectable in a number of other tissues.,

Subcellular Location:

Secreted, extracellular space, extracellular matrix.

Expression:

Expressed at low levels in placenta and barely detectable in a number of other tissues.

Sort : 2453


No4:

Host: Rabbit

Modifications: Unmodified

ATS6

Products Images



Western blot analysis of lysates from A431 cells, primary antibody was diluted at 1:1000, 4° over night