


## WDR54 rabbit pAb

<b>Catalog No :</b>	YT6556
<b>Reactivity :</b>	Human;Mouse
<b>Applications :</b>	WB
<b>Target :</b>	WDR54
<b>Gene Name :</b>	WDR54
<b>Protein Name :</b>	WDR54
<b>Human Gene Id :</b>	84058
<b>Human Swiss Prot No :</b>	Q9H977
<b>Mouse Gene Id :</b>	75659
<b>Mouse Swiss Prot No :</b>	Q9R0D8
<b>Immunogen :</b>	Synthesized peptide derived from human WDR54 AA range: 99-149
<b>Specificity :</b>	This antibody detects endogenous levels of WDR54 at Human/Mouse
<b>Formulation :</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Source :</b>	Polyclonal, Rabbit,IgG
<b>Dilution :</b>	WB 1:500-2000
<b>Purification :</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Concentration :</b>	1 mg/ml
<b>Storage Stability :</b>	-15°C to -25°C/1 year(Do not lower than -25°C)

<b>Molecularweight :</b>	37kD
<b>Function :</b>	similarity:Contains 4 WD repeats.,
<b>Subcellular Location :</b>	Vesicle . Aggregates in vesicles when cross-linked. .
<b>Expression :</b>	Expressed in epithelial cells (at protein level) (PubMed:29987896). Isoform 3 expression is highly increased in colorectal cancer cells (PubMed:29987896).
<b>Sort :</b>	24264
<b>No4 :</b>	1
<b>Host :</b>	Rabbit
<b>Modifications :</b>	Unmodified

## Products Images



Western blot analysis of lysates from HEK293 cells, primary antibody was diluted at 1:1000, 4° over night