


PVRIG rabbit pAb


Catalog No :	YT6992
Reactivity :	Human
Applications :	WB;ELISA;IHC
Target :	PVRIG
Gene Name :	PVRIG C7orf15
Protein Name :	PVRIG
Human Gene Id :	79037
Human Swiss Prot No :	Q6DKI7
Immunogen :	Synthesized peptide derived from human PVRIG AA range: 229-279
Specificity :	This antibody detects endogenous levels of PVRIG at Human
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Polyclonal, Rabbit,IgG
Dilution :	WB 1:500-2000;IHC 1:50-300; ELISA 2000-20000
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml
Storage Stability :	-15°C to -25°C/1 year(Do not lower than -25°C)
Molecularweight :	36kD
Function :	caution:Despite its name, it does not share sequence similarity with the poliovirus receptor (PVR/CD155) and does not contain any immunoglobulin domain.,

Subcellular Location :	Cell membrane ; Multi-pass membrane protein .
Expression :	Expressed in some types of immune cells. Expressed at low levels on the surface of freshly isolated T-cells and natural killer (NK) cells, predominantly on CD8+ T-cells (mainly memory/effector, but not naive cells) and on both CD16+ and CD16- NK cells. T-cell expression levels are variable among individuals. Not detected in B-cells, naive or helper T-cells, monocytes, nor neutrophils (at protein level). Not detected in dendritic cells.
Sort :	13176
No4 :	1
Host :	Rabbit
Modifications :	Unmodified

Products Images



Western blot analysis of lysates from HpeG2 cells, primary antibody was diluted at 1:1000, 4° over night



Immunohistochemical analysis of paraffin-embedded human oophoroma. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).