

**HMN2 rabbit pAb**


<b>Catalog No :</b>	YT7274
<b>Reactivity :</b>	Human
<b>Applications :</b>	IHC;IF
<b>Target :</b>	HMN2
<b>Gene Name :</b>	MTRNR2L2
<b>Protein Name :</b>	HMN2
<b>Human Gene Id :</b>	100462981
<b>Human Swiss Prot No :</b>	P0CJ69
<b>Immunogen :</b>	Synthesized peptide derived from human HMN2 AA range: 1-24
<b>Specificity :</b>	This antibody detects endogenous levels of HMN2 at Human
<b>Formulation :</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Source :</b>	Polyclonal, Rabbit,IgG
<b>Dilution :</b>	IHC 1:50-200. IF 1:50-200
<b>Purification :</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Concentration :</b>	1 mg/ml
<b>Storage Stability :</b>	-15°C to -25°C/1 year(Do not lower than -25°C)
<b>Molecularweight :</b>	3kD
<b>Subcellular Location :</b>	Secreted . Cytoplasm .

---

<b>Expression :</b>	Highly expressed in testis. Also expressed in kidney, heart, skeletal muscles and brain.
<b>Sort :</b>	7702
<b>No4 :</b>	1
<b>Host :</b>	Rabbit
<b>Modifications :</b>	Unmodified

---

## Products Images



Immunohistochemical analysis of paraffin-embedded human tonsil. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 30min).