

ISPD rabbit pAb

Catalog No: YT7370

Reactivity: Human; Mouse; Rat

Applications: WB;ELISA;IHC

Target: ISPD

Fields: >>Pentose and glucuronate interconversions;>>Mannose type O-glycan

biosynthesis;>>Metabolic pathways

Gene Name: ISPD

Protein Name: ISPD

Human Gene Id: 729920

A4D126

Q5RJG7

Human Swiss Prot

No:

Mouse Gene Id: 75847

Mouse Swiss Prot

No:

Rat Gene Id: 493574

Rat Swiss Prot No: Q5S6T3

Immunogen: Synthesized peptide derived from human ISPD AA range: 301-351

Specificity: This antibody detects endogenous levels of ISPD at Human/Mouse/Rat

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution: WB 1:500-2000;IHC 1:50-300; ELISA 2000-20000

1/3



Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Molecularweight: 50kD

Background: This gene encodes a 2-C-methyl-D-erythritol 4-phosphate cytidylyltransferase-

like protein. Mutations in this gene are the cause of Walker-Warburg syndrome.

Alternate splicing results in multiple transcript variants. [provided by RefSeq, May

2012],

Function: similarity:Belongs to the ispD family.,

Subcellular Location:

Cytoplasm, cytosol.

Expression: Ubiquitously expressed, with high expression in brain.


Sort : 8715

No4:


Host: Rabbit

Modifications: Unmodified

Products Images



Western blot analysis of lysates from THP-1 cells, primary antibody was diluted at 1:1000, 4° over night



Immunohistochemical analysis of paraffin-embedded human cervical carcinoma. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).