

NYX rabbit pAb

Catalog No: YT7486

Reactivity: Human; Mouse

Applications: WB

Target: NYX

Gene Name: NYX CLRP

Protein Name: NYX

Human Gene Id: 60506

Human Swiss Prot

No:

Mouse Gene ld: 236690

Mouse Swiss Prot

No:

Immunogen: Synthesized peptide derived from human NYX AA range: 139-189

Specificity: This antibody detects endogenous levels of NYX at Human/Mouse

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Q9GZU5

P83503

Dilution: WB 1 ?500-2000

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

1/3

Molecularweight: 53kD

Background: The product of this gene belongs to the small leucine-rich proteoglycan (SLRP)

family of proteins. Defects in this gene are the cause of congenital stationary night blindness type 1 (CSNB1), also called X-linked congenital stationary night blindness (XLCSNB). CSNB1 is a rare inherited retinal disorder characterized by impaired scotopic vision, myopia, hyperopia, nystagmus and reduced visual acuity. The role of other SLRP proteins suggests that mutations in this gene disrupt developing retinal interconnections involving the ON-bipolar cells, leading to the visual losses seen in patients with complete CSNB. [provided by RefSeq,

Oct 2008],

Function: disease:Defects in NYX are the cause of congenital stationary night blindness

type 1A (CSNB1A) [MIM:310500]; also called X-linked congenital stationary night blindness (XLCSNB). Congenital stationary night blindness is a non-progressive retinal disorder characterized by impaired night vision. CSNB1A is characterized by impaired scotopic vision, myopia, hyperopia, nystagmus and reduced visual

acuity.,online information:Retina International's Scientific

Newsletter, similarity: Belongs to the small leucine-rich proteoglycan (SLRP)

family. Class IV subfamily., similarity: Contains 11 LRR (leucine-rich)

repeats.,tissue specificity:Expressed in kidney and retina. Also at low levels in brain, testis and muscle. Within the retina, expressed in the inner segment of photoreceptors, outer and inner nuclear layers and the ganglion cell layer.,

Subcellular Location:

Secreted, extracellular space, extracellular matrix.

Expression: Expressed in kidney and retina. Also at low levels in brain, testis and muscle.

Within the retina, expressed in the inner segment of photoreceptors, outer and

inner nuclear layers and the ganglion cell layer.


Sort: 11022

No4: 1

Host: Rabbit

Modifications: Unmodified

Products Images



Western blot analysis of lysates from AD293 cells, primary antibody was diluted at 1:1000, 4° over night