

## Cdc16 (phospho Ser560) Polyclonal Antibody

Catalog No: YP0931

**Reactivity:** Human; Mouse

**Applications:** WB;IHC;IF;ELISA

Target: Cdc16

**Fields:** >>Cell cycle;>>Oocyte meiosis;>>Ubiquitin mediated

proteolysis;>>Progesterone-mediated oocyte maturation;>>Human T-cell

leukemia virus 1 infection

Gene Name: CDC16

**Protein Name:** Cell division cycle protein 16 homolog

Q13042

Q8R349

Human Gene Id: 8881

**Human Swiss Prot** 

No:

Mouse Gene Id: 69957

**Mouse Swiss Prot** 

No:

**Immunogen :** The antiserum was produced against synthesized peptide derived from human

CDC16/APC6 around the phosphorylation site of Ser560. AA range:526-575

**Specificity:** Phospho-Cdc16 (S560) Polyclonal Antibody detects endogenous levels of

Cdc16 protein only when phosphorylated at S560.

**Formulation:** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

**Dilution:** WB 1:500 - 1:2000. IHC 1:100 - 1:300. IF 1:200 - 1:1000. ELISA: 1:20000. Not

yet tested in other applications.

**Purification:** The antibody was affinity-purified from rabbit antiserum by affinity-

1/4



chromatograpl			
	, 0	-	 3 -

**Concentration:** 1 mg/ml

-15°C to -25°C/1 year(Do not lower than -25°C) **Storage Stability:** 

Observed Band: 72kD

Cell Cycle G1S;Cell Cycle G2M DNA;Oocyte meiosis;Ubiquitin mediated **Cell Pathway:** 

proteolysis; Progesterone-mediated oocyte maturation;

The protein encoded by this gene functions as a protein ubiquitin ligase and is a **Background:** 

component of the multiprotein APC complex. The APC complex is a cyclin degradation system that governs exit from mitosis by targeting cell cycle proteins for degredation by the 26S proteasome. Each component protein of the APC complex is highly conserved among eukaryotic organisms. This protein, and other APC complex proteins, contain a tetratricopeptide repeat (TPR) domain; a protein domain that is often involved in protein-protein interactions and the assembly of multiprotein complexes. Multiple alternatively spliced transcript variants, encoding

distinct proteins, have been identified. [provided by RefSeq, Jan 2016],

**Function:** function: Component of the anaphase promoting complex/cyclosome (APC/C), a

> cell cycle-regulated ubiquitin ligase that controls progression through mitosis and the G1 phase of the cell cycle.,pathway:Protein modification; protein

ubiquitination.,PTM:Phosphorylated. Phosphorylation on Ser-560 occurs

specifically during mitosis., similarity: Belongs to the APC6/CDC16 family., similarity: Contains 7 TPR repeats., subcellular location: Colocalizes with

CDC27 to the centrosome at all stages of the cell cycle and to the mitotic spindle., subunit: The APC/C is composed of at least 11 subunits. Interacts with

PPP5C and CDC20.,

Subcellular Cytoplasm, cytoskeleton, microtubule organizing center, centrosome. Location:

Cytoplasm, cytoskeleton, spindle. Colocalizes with CDC27 to the centrosome at


all stages of the cell cycle and to the mitotic spindle.

Aorta endothelial cell, Brain, Epithelium, Lung, Skin, **Expression:** 


Sort: 3710

No4:


## **Products Images**




Immunohistochemical analysis of paraffin-embedded Human brain. Antibody was diluted at 1:100(4° overnight). High-pressure and temperature Tris-EDTA,pH8.0 was used for antigen retrieval. Negetive contrl (right) obtaned from antibody was pre-absorbed by immunogen peptide.




Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using CDC16/APC6 (Phospho-Ser560) Antibody



Immunofluorescence analysis of HeLa cells, using CDC16/APC6 (Phospho-Ser560) Antibody. The picture on the right is blocked with the phospho peptide.



Immunohistochemistry analysis of paraffin-embedded human brain, using CDC16/APC6 (Phospho-Ser560) Antibody. The picture on the right is blocked with the phospho peptide.



Western blot analysis of lysates from HUVEC cells, using CDC16/APC6 (Phospho-Ser560) Antibody. The lane on the right is blocked with the phospho peptide.