

DARPP-32 (phospho Thr34) Polyclonal Antibody

Catalog No: YP0950

Reactivity: Human; Mouse; Rat

Applications: WB;IHC;IF;ELISA

Target: DARPP-32

Fields: >>cAMP signaling pathway;>>Dopaminergic synapse;>>Cocaine

addiction;>>Amphetamine addiction;>>Alcoholism

Gene Name: PPP1R1B

Protein Name: Protein phosphatase 1 regulatory subunit 1B

Q9UD71

Q60829

Human Gene Id: 84152

Human Swiss Prot

No:

Mouse Gene Id: 19049

Mouse Swiss Prot

No:

Rat Gene Id: 360616

Rat Swiss Prot No: Q6J4I0

Immunogen: The antiserum was produced against synthesized peptide derived from human

DARPP-32 around the phosphorylation site of Thr34. AA range:18-67

Specificity: Phospho-DARPP-32 (T34) Polyclonal Antibody detects endogenous levels of

DARPP-32 protein only when phosphorylated at T34.

Formulation: Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution : WB 1:500 - 1:2000. IHC 1:100 - 1:300. IF 1:200 - 1:1000. ELISA: 1:10000. Not

1/4



yet tested in other applications.

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 35kD

Background : This gene encodes a bifunctional signal transduction molecule. Dopaminergic

and glutamatergic receptor stimulation regulates its phosphorylation and function as a kinase or phosphatase inhibitor. As a target for dopamine, this gene may serve as a therapeutic target for neurologic and psychiatric disorders. Multiple transcript variants encoding different isoforms have been found for this gene.

[provided by RefSeq, Oct 2011],

Function: function:Inhibitor of protein-phosphatase 1..PTM:Dopamine- and cyclic AMP-

regulated neuronal phosphoprotein.,PTM:Phosphorylation of Thr-34 is required for activity.,similarity:Belongs to the protein phosphatase inhibitor 1 family.,

Subcellular Cytoplasm.

Location:

Expression: Adipose tissue, Brain, Cerebellum, Colon, Ovary,

Tag: orthogonal


Sort: 4997

No2: 12438S


No4:

Products Images


Western Blot analysis of various cells using Phospho-DARPP-32 (T34) Polyclonal Antibody diluted at 1:1000




- + non-phospho-peptide
- + + Paclitaxel (1uM, 24hours)




Western Blot analysis of RAT-musle cells using Phospho-DARPP-32 (T34) Polyclonal Antibody diluted at 1:1000




Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using DARPP-32 (Phospho-Thr34) Antibody



Immunofluorescence analysis of HepG2 cells, using DARPP-32 (Phospho-Thr34) Antibody. The picture on the right is blocked with the phospho peptide.



Immunohistochemistry analysis of paraffin-embedded human brain, using DARPP-32 (Phospho-Thr34) Antibody. The picture on the right is blocked with the phospho peptide.



Western blot analysis of lysates from NIH/3T3 cells treated with PMA 125ng/ml 30', using DARPP-32 (Phospho-Thr34) Antibody. The lane on the right is blocked with the phospho peptide.