

**SSH3 (Phospho Ser37) rabbit pAb**

<b>Catalog No :</b>	YP1511
<b>Reactivity :</b>	Human;Rat;Mouse;
<b>Applications :</b>	WB
<b>Target :</b>	SSH3
<b>Fields :</b>	>>Axon guidance;>>Regulation of actin cytoskeleton
<b>Gene Name :</b>	SSH3 SSH3L
<b>Protein Name :</b>	SSH3 (Ser37)
<b>Human Gene Id :</b>	54961
<b>Human Swiss Prot No :</b>	Q8TE77
<b>Mouse Gene Id :</b>	245857
<b>Mouse Swiss Prot No :</b>	Q8K330
<b>Rat Gene Id :</b>	365396
<b>Rat Swiss Prot No :</b>	Q5XIS1
<b>Immunogen :</b>	Synthesized phospho peptide around human SSH3 (Ser37)
<b>Specificity :</b>	This antibody detects endogenous levels of Human SSH3 (phospho-Ser37)
<b>Formulation :</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Source :</b>	Polyclonal, Rabbit,IgG
<b>Dilution :</b>	WB 1:1000-2000
<b>Purification :</b>	The antibody was affinity-purified from rabbit serum by affinity-chromatography

using specific immunogen.

---

**Concentration :** 1 mg/ml

---

**Storage Stability :** -15°C to -25°C/1 year(Do not lower than -25°C)

---

**Observed Band :** 74kD

---

**Cell Pathway :** Regulates Actin and Cytoskeleton;

---

**Background :** The ADF (actin-depolymerizing factor)/cofilin family (see MIM 601442) is composed of stimulus-responsive mediators of actin dynamics. ADF/cofilin proteins are inactivated by kinases such as LIM domain kinase-1 (LIMK1; MIM 601329). The SSH family appears to play a role in actin dynamics by reactivating ADF/cofilin proteins in vivo (Niwa et al., 2002 [PubMed 11832213]).[supplied by OMIM, Mar 2008],

---

**Function :** catalytic activity:A phosphoprotein + H(2)O = a protein + phosphate.,catalytic activity:Protein tyrosine phosphate + H(2)O = protein tyrosine + phosphate.,function:Protein phosphatase which may play a role in the regulation of actin filament dynamics. Can dephosphorylate and activate the actin binding/depolymerizing factor cofilin, which subsequently binds to actin filaments and stimulates their disassembly.,miscellaneous:Tyrosine phosphatase activity has not been demonstrated for this protein to date.,PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,similarity:Belongs to the protein-tyrosine phosphatase family.,similarity:Contains 1 tyrosine-protein phosphatase domain.,subunit:Does not bind to, or colocalize with, filamentous actin.,

---

**Subcellular Location :** Cytoplasm, cytoskeleton . Nucleus .

---

**Expression :** Cerebellum,Epithelium,Ovarian carcinoma,Uterus,

---

**Sort :** 16636

---

**No4 :** 1

---

**Host :** Rabbit

---

**Modifications :** Phospho

---

**Products Images**