

## C/EBP-α (Phospho Ser193) rabbit pAb

| Catalog No :            | YP1572  |
|-------------------------|---|
| Reactivity :            | Human;Mouse;Rat   |
| Applications :          | WB;ELISA  |
| Target :                | C/EBP a   |
| Gene Name :             | СЕВРА   |
| Protein Name :          | C/EBP-a (Phospho Ser193)  |
| Human Gene Id :         | 1050  |
| Human Swiss Prot        | P53566(P49715)  |
| No :<br>Mouse Gene Id : | 12606   |
| Mouse Swiss Prot        | P53566  |
| No :<br>Rat Gene Id :   | 24252   |
| Rat Swiss Prot No :     | P05554  |
| Immunogen :             | Synthesized peptide derived from human C/EBP-a (Phospho Ser193)   |
| Specificity :           | This antibody detects endogenous levels of Human,Mouse,Rat C/EBP-α (Phospho Ser193)                       |
| Formulation :           | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.                                   |
| Source :                | Polyclonal, Rabbit,IgG  |
| Dilution :              | WB 1:1000-2000 ELISA 1:5000-20000   |
| Purification :          | The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen. |



| Best Tools for immunology Research |   |  |
|------------------------------------|---|--|
| Concentration :                    | 1 mg/ml   |  |
| Storage Stability :                | -15°C to -25°C/1 year(Do not lower than -25°C)  |  |
| Observed Band :                    | 42,also have 30kd isform  |  |
| Background :                       | function:C/EBP is a DNA-binding protein that recognizes two different motifs: the CCAAT homology common to many promoters and the enhanced core homology common to many enhancers.,similarity:Belongs to the bZIP family.,similarity:Belongs to the bZIP family. C/EBP subfamily.,similarity:Contains 1 bZIP domain.,subunit:Binds DNA as a dimer and can form stable heterodimers with C/EBP beta and gamma. Interacts with UBN1. Interacts with HBV protein X.,   |  |
| Function :                         | urea cycle, negative regulation of transcription from RNA polymerase II<br>promoter, in utero embryonic development,liver development, placenta<br>development, embryonic placenta development, immune system<br>development, leukocyte differentiation, myeloid leukocyte<br>differentiation, generation of precursor metabolites and<br>energy, transcription,transcription, DNA-dependent, regulation of transcription,<br>DNA-dependent, regulation of transcription from RNA polymerase II<br>promoter, transcription from RNA polymerase II promoter, mitochondrion<br>organization, negative regulation of cell proliferation, embryonic development<br>ending in birth or egg hatching, negative regulation of biosynthetic<br>process, positive regulation of biosynthetic process, regulation of specific<br>transcription from RNA polymerase II promoter, positive regulation of specific<br>transcription from RNA polymerase II promoter, positive regulation of specific |  |
| Sort :                             | 2925  |  |
| No4 :                              | 1   |  |
| Host :                             | Rabbit  |  |
| Modifications :                    | Phospho   |  |

## Products Images