

CD269/BCMA (PN0553) Nb-FC recombinant antibody

Catalog No: YA0222

Reactivity: Human

Applications: FCM;ELISA

Target: CD269/BCMA

Gene Name: TNFRSF17 BCM BCMA

Protein Name: Tumor necrosis factor receptor superfamily member 17 (B-cell maturation

protein) (CD antigen CD269)

Human Gene Id: 608

Human Swiss Prot

Immunogen:

No:

IO:

Specificity: This recombinant monoclonal antibody can detects endogenous levels of

CD269/BCMA protein.

Formulation: Phosphate-buffered solution

Q02223

Source: Camel, chimeric fusion of Nanobody (VHH) and mouse IgG1 Fc domain,

recombinantly produced from 293F cell

Purified recombinant Human CD269

Dilution: ELISA 1:5000-100000;FCM 1-2µg/Test

Purification: Recombinant Expression and Affinity purified

Concentration: Please check the information on the tube

Storage Stability: -15°C to -25°C/1 year(Avoid freeze / thaw cycles)

Cell Pathway: Cytokine-cytokine receptor interaction;Intestinal immune network for IgA

production;



Background:

The protein encoded by This gene is a member of the TNF-receptor superfamily. This receptor is preferentially expressed in mature B lymphocytes, and may be important for B cell development and autoimmune response. This receptor has been shown to specifically bind to the tumor necrosis factor (ligand) superfamily, member 13b (TNFSF13B/TALL-1/BAFF), and to lead to NF-kappaB and MAPK8/JNK activation. This receptor also binds to various TRAF family members, and thus may transduce signals for cell survival and proliferation. [provided by RefSeq, Jul 2008]

Function:

disease:A chromosomal aberration involving TNFRSF17 is found in a form of T-cell acute lymphoblastic leukemia (T-ALL). Translocation t(4;16)(q26;p13) with IL2.,Receptor for TNFSF13B/BLyS/BAFF and TNFSF13/APRIL. Promotes B-cell survival and plays a role in the regulation of humoral immunity. Activates NF-kappa-B and JNK.,similarity:Contains 1 TNFR-Cys repeat.,subcellular location:Perinuclear Golgi-like structures.,subunit:Associates with TRAF1, TRAF2, TRAF3, TRAF5 and TRAF6.,tissue specificity:Expressed in mature B-cells, but not in T-cells or monocytes.,

Subcellular Location:

Cell membrane; Single-pass type III membrane protein. Endomembrane system; Single-pass type III membrane protein. Perinuclear Golgi-like structures.

Expression: Expressed in mature B-cells, but not in T-cells or monocytes.

Tag: recombinant

Sort : 3502

No4: 1

Speciality: Nanobody

Products Images

2/2