

## **ALB Monoclonal Antibody**

Catalog No: YM0021

Reactivity: Human

**Applications:** WB;ELISA

Target: Albumin

**Fields:** >>Thyroid hormone synthesis

P02768

P07724

Gene Name: ALB

**Protein Name:** Serum albumin

Human Gene ld: 213

**Human Swiss Prot** 

No:

**Mouse Swiss Prot** 

No:

Immunogen: Human sera albumin.

**Specificity:** ALB Monoclonal Antibody detects endogenous levels of ALB protein.

**Formulation:** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

**Source:** Monoclonal, Mouse

**Dilution:** WB 1:500 - 1:2000. ELISA: 1:10000. Not yet tested in other applications.

**Purification:** Affinity purification

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Molecularweight: 69kD

**P References :** 1. Proteins. 2006 Aug 1;64(2):355-62.

1/3



2. FEBS Lett. 2007 Jul 10;581(17):3178-82.

## **Background:**

This gene encodes the most abundant protein in human blood. This protein functions in the regulation of blood plasma colloid osmotic pressure and acts as a carrier protein for a wide range of endogenous molecules including hormones, fatty acids, and metabolites, as well as exogenous drugs. Additionally, this protein exhibits an esterase-like activity with broad substrate specificity. The encoded preproprotein is proteolytically processed to generate the mature protein. A peptide derived from this protein, EPI-X4, is an endogenous inhibitor of the CXCR4 chemokine receptor. [provided by RefSeq, Jul 2016],

**Function:** 

caution:A peptide arising from positions 166 to 174 was originally (PubMed:3087352 and PubMed:2437111) termed neurotensin-related peptide (NRP) or kinetensin and was thought to regulates fat digestion, lipid absorption, and blood flow.,disease:A variant structure of albumin could lead to increased binding of zinc resulting in an asymptomatic augmentation of zinc concentration in the blood [MIM:194470].,disease:Defects in ALB are a cause of familial dysalbuminemic hyperthyroxinemia (FDH) [MIM:103600]. FDH is a form of euthyroid hyperthyroxinemia that is due to increased affinity of ALB for T(4). It is the most common cause of inherited euthyroid hyperthyroxinemia in Caucasian population.,function:Serum albumin, the main protein of plasma, has a good binding capacity for water, Ca(2+), Na(+), K(+), fatty acids, hormones, bilirubin and drugs. Its main function is the regulation of the collo

S	u	b	C	е		u	la	ľ
L	O	C	at	ti	O	n	÷	

Secreted.

**Expression:** Plasma.

**Sort**: 1880


No4: 1

Host: Mouse

Modifications: Unmodified

## **Products Images**

2/3



Western Blot analysis using ALB Monoclonal Antibody (lane 3, 4) and Human IgG Monoclonal Antibody (lane 1, 2) against human serum (lane 1, 3) and plasma (lane 2, 4).