

## **CD15 Monoclonal Antibody**

Catalog No: YM0104

Reactivity: Human

**Applications:** IHC;IF;ELISA

Target: CD15

Fields: >>Mannose type O-glycan biosynthesis;>>Glycosphingolipid biosynthesis -

lacto and neolacto series;>>Metabolic pathways

Gene Name: FUT4

**Protein Name:** Alpha-(1,3)-fucosyltransferase

P22083

Q11127

Human Gene Id: 2526

**Human Swiss Prot** 

No:

**Mouse Swiss Prot** 

No:

**Immunogen:** Synthesized peptide of human CD15.

**Specificity:** CD15 Monoclonal Antibody detects endogenous levels of CD15 protein.

**Formulation :** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

**Source:** Monoclonal, Mouse

**Dilution:** IHC 1:200 - 1:1000. IF 1:200 - 1:1000. ELISA: 1:10000. Not yet tested in other

applications.

**Purification :** Affinity purification

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Cell Pathway: Glycosphingolipid biosynthesis;

1/3



P References:

1. Cancer Cell. 2009 Feb 3;15(2):135-47.

2. Biochim Biophys Acta. 2008 Feb;1783(2):287-96.

**Background:** 

The product of this gene transfers fucose to N-acetyllactosamine polysaccharides to generate fucosylated carbohydrate structures. It catalyzes the synthesis of the non-sialylated antigen, Lewis x (CD15). [provided by RefSeq, Jan 2009],

**Function:** 

caution:It is uncertain whether Met-1 or Met-126 is the initiator.,function:May catalyze alpha-1,3 glycosidic linkages involved in the expression of Lewis X/SSEA-1 and VIM-2 antigens.,online information:Fucosyltransferase 4,online information:GlycoGene database,pathway:Protein modification; protein glycosylation.,similarity:Belongs to the glycosyltransferase 10 family.,subcellular location:Membrane-bound form in trans cisternae of Golgi.,

Subcellular Location:

Golgi apparatus, Golgi stack membrane; Single-pass type II membrane protein. Membrane-bound form in trans cisternae of Golgi.

**Expression:** 

[Isoform Short]: Expressed at low levels in bone marrow-derived mesenchymal stem cells.; Expressed in cord blood immature promyelocytes and in peripheral blood myeloid and lymphoid cell populations.

Tag:

hot

Sort:

3393

No4:

1


Host:

Mouse


**Modifications:** 

Unmodified

## **Products Images**



Immunohistochemistry analysis of paraffin-embedded human cerebellum tissues (left) and human liver cancer tissues (right) with DAB staining using CD15 Monoclonal Antibody.



Immunofluorescence analysis of PC-2 cells using CD15 Monoclonal Antibody (green). Blue: DRAQ5 fluorescent DNA dye. Red: Actin filaments have been labeled with Alexa Fluor-555 phalloidin.

