


IL-11 Monoclonal Antibody

Catalog No :	YM0366
Reactivity :	Human
Applications :	WB;ELISA
Target :	IL-11
Fields :	>>Cytokine-cytokine receptor interaction;>>JAK-STAT signaling pathway;>>Hematopoietic cell lineage;>>Rheumatoid arthritis
Gene Name :	IL11
Protein Name :	Interleukin-11
Human Gene Id :	3589
Human Swiss Prot No :	P20809
Mouse Swiss Prot No :	P47873
Immunogen :	Purified recombinant fragment of human IL-11 expressed in E. Coli.
Specificity :	IL-11 Monoclonal Antibody detects endogenous levels of IL-11 protein.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Monoclonal, Mouse
Dilution :	WB 1:500 - 1:2000. ELISA: 1:10000. Not yet tested in other applications.
Purification :	Affinity purification
Concentration :	1 mg/ml
Storage Stability :	-15°C to -25°C/1 year(Do not lower than -25°C)

Molecularweight :	21kD
Cell Pathway :	Cytokine-cytokine receptor interaction;Jak_STAT;Hematopoietic cell lineage;
P References :	<ol style="list-style-type: none">1. Cockrell EM, et.al Cytokine. 2004 Oct 21;28(2):55-8.2. Dimitriadis E, et.al J Clin Endocrinol Metab. 2005 Jun;90(6):3458-65. Epub 2005 Mar 22.
Background :	<p>The protein encoded by this gene is a member of the gp130 family of cytokines. These cytokines drive the assembly of multisubunit receptor complexes, all of which contain at least one molecule of the transmembrane signaling receptor IL6ST (gp130). This cytokine is shown to stimulate the T-cell-dependent development of immunoglobulin-producing B cells. It is also found to support the proliferation of hematopoietic stem cells and megakaryocyte progenitor cells. Alternatively spliced transcript variants encoding distinct isoforms have been found for this gene. [provided by RefSeq, Jun 2012],</p>
Function :	<p>function:Directly stimulates the proliferation of hematopoietic stem cells and megakaryocyte progenitor cells and induces megakaryocyte maturation resulting in increased platelet production.,online information:Clinical information on Neumega,online information:Interleukin-11 entry,pharmaceutical:Available under the name Neumega (Wyeth). Used for the prevention of severe thrombocytopenia and the reduction of the need for platelet transfusion following myelosuppressive chemotherapy.,similarity:Belongs to the IL-6 superfamily.,</p>
Subcellular Location :	Secreted .
Expression :	Bone marrow,Prostate,
Sort :	8419
No4 :	1
Host :	Mouse
Modifications :	Unmodified

Products Images



Western Blot analysis using IL-11 Monoclonal Antibody against truncated IL-11 recombinant protein.