

BIOTIN*Polyclonal Rabbit Anti FITC

Catalog No: RS030712

Reactivity: FITC

Applications: WB;IHC;IF;ELISA

Target: FITC

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution: Optimal working dilutions should be determined experimentally by the

investigator. Suggested starting dilutions are IF (1:250 - 1:2000), FCM (1:250 -

1:2000)

Purification: The antibody was affinity-purified by affinity-chromatography using antigen-

specific immunogen.

Concentration: 2mg/mL

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Background: Immunoway secondary antibodies are available conjugated to enzyme, biotin or

fluorophore for use in a variety of antibody-based applications including Western Blot, ImmunoHistoChemistry, ImmunoFluorescence, Flow Cytometry and ELISA. We offer high quality secondary antibodies from goat, rabbit and donkey sources

for your each application. Serum adsorbed secondary antibodies are also available and are recommended for use with immunoglobulin-rich samples.

Sort: 2758

No4: 1

Host: Rabbit

Conjugate: BIOTIN

1/2



Products Images