

## Rabbit anti Horse IgG (H&L) - TRITC

|                            |   |
|----------------------------|---|
| <b>Catalog No :</b>        | RS2620  |
| <b>Reactivity :</b>        | Horse   |
| <b>Applications :</b>      | ELISA;IHC;IF;FCM  |
| <b>Target :</b>            | Horse IgG (H&L)   |
| <b>Immunogen :</b>         | Horse IgG   |
| <b>Formulation :</b>       | Liquid in 0.01M Phosphate Buffered Saline, pH 7.2, containing 1% BSA, 50% glycerol, 0.02% Sodium Azide            |
| <b>Source :</b>            | Polyclonal, Rabbit,IgG  |
| <b>Dilution :</b>          | IHC (1:200 - 1:1000), IF (1:200 - 1:1000), FCM (1:2000 - 1:4000), Elisa (Use at an assay dependent concentration) |
| <b>Purification :</b>      | The antibody was isolated from antisera by immunoaffinity chromatography using antigens coupled to agarose beads. |
| <b>Storage Stability :</b> | -15°C to -25°C/1 year(Do not lower than -25°C)  |
| <b>Sort :</b>              | 13644   |
| <b>No4 :</b>               | 1   |
| <b>Host :</b>              | Rabbit  |
| <b>Conjugate :</b>         | TRITC   |

## Products Images