

MEK2 protein

Catalog No: YD0066

Reactivity: Human

Applications: WB;SDS-PAGE

Gene Name: MAP2K2

Protein Name: MEK2 protein

Sequence: Amino acid: 262-400, with his-MBP tag.

P36507

Q63932

Human Gene Id: 5605

Human Swiss Prot

No:

Mouse Swiss Prot

No:

Formulation: Liquid in PBS

Source: E.coli

Dilution : WB 1:500-2000

Concentration: SDS-PAGE >90%

Storage Stability: -20°C/6 month,-80°C for long storage

Background: catalytic activity:ATP + a protein = ADP + a phosphoprotein.,disease:Defects in

MAP2K2 are a cause of cardiofaciocutaneous syndrome (CFC syndrome) [MIM:115150]; also known as cardio-facio-cutaneous syndrome. CFC syndrome is characterized by a distinctive facial appearance, heart defects and mental retardation. Heart defects include pulmonic stenosis, atrial septal defects and hypertrophic cardiomyopathy. Some affected individuals present with ectodermal abnormalities such as sparse, friable hair, hyperkeratotic skin lesions and a generalized ichthyosis-like condition. Typical facial features are similar to Noonan syndrome. They include high forehead with bitemporal constriction, hypoplastic

supraorbital ridges, downslanting palpebral fissures, a depressed nasal bridge, and posteriorly angulated ears with prominent helices. The inheritance of CFC

1/2

syndrome is autosomal dominant.,function:Catalyzes the concomitant phosphorylation of a threonine and a tyrosine residue in a Thr-Glu-Tyr sequence located in MAP kinases. Activates the ERK1 and ERK2 MAP kinases.,PTM:MAPKK is itself dependent on Ser/Thr phosphorylation for activity catalyzed by MAP kinase kinase kinases (RAF or MEKK1).,similarity:Belongs to the protein kinase superfamily. STE Ser/Thr protein kinase family. MAP kinase kinase subfamily.,similarity:Contains 1 protein kinase domain.,subunit:Interacts with MORG1.,

Function: protein amino acid phosphorylation, phosphorus metabolic process, phosphate

metabolic process, intracellular signaling cascade, small GTPase mediated

signal transduction, Ras protein signal transduction, phosphorylation,

Subcellular Location:

Cytoplasm . Membrane ; Peripheral membrane protein . Membrane localization

is probably regulated by its interaction with KSR1...

Sort : 9546

Host: Rabbit

Products Images

