

CD88 (C5aR)-FC recombinant protein

Catalog No :	YD3003
Reactivity :	Human;
Purity :	>90% as determined by SDS-PAGE
Gene Name :	C5AR1
Protein Name :	C5a anaphylatoxin chemotactic receptor 1 (C5a anaphylatoxin chemotactic receptor) (C5a-R) (C5aR) (CD antigen CD88)
Sequence :	Amino acid:1-37,with FC tag.
Human Gene Id :	728
Human Swiss Prot No :	P21730
Formulation :	Phosphate-buffered solution
Source :	Mammalian cells
Storage Stability :	-15°C to -25°C/1 year(Avoid freeze / thaw cycles)
Function :	Receptor for the chemotactic and inflammatory peptide anaphylatoxin C5a (PubMed:10636859, PubMed:15153520, PubMed:1847994, PubMed:29300009, PubMed:7622471, PubMed:8182049, PubMed:9553099). The ligand interacts with at least two sites on the receptor: a high-affinity site on the extracellular N-terminus, and a second site in the transmembrane region which activates downstream signaling events (PubMed:7622471, PubMed:8182049, PubMed:9553099). Receptor activation stimulates chemotaxis, granule enzyme release, intracellular calcium release and superoxide anion production (PubMed:10636859, PubMed:15153520).
Subcellular Location :	Cell membrane ; Multi-pass membrane protein . Cytoplasmic vesicle . Note=Phosphorylated C5aR colocalizes with ARRB1 and ARRB2 in cytoplasmic vesicles. .



Best Tools for immunology Research

Products Images