

CD9-FC recombinant protein

Catalog No: YD3080

Reactivity: Human;

Purity: >90% as determined by SDS-PAGE

Gene Name: CD9

Protein Name: CD9 antigen (5H9 antigen) (Cell growth-inhibiting gene 2 protein) (Leukocyte

antigen MIC3) (Motility-related protein) (MRP-1) (Tetraspanin-29) (Tspan-29)

(p24) (CD antigen CD9)

Sequence : Amino acid:34-55,with FC tag.

Human Gene Id: 928

Human Swiss Prot

No:

Formulation : Phosphate-buffered solution

P21926

Source: Mammalian cells

Storage Stability: -15°C to -25°C/1 year(Avoid freeze / thaw cycles)

Function: Integral membrane protein associated with integrins, which regulates different

processes, such as sperm-egg fusion, platelet activation and aggregation, and cell adhesion (PubMed:14575715, PubMed:18541721, PubMed:8478605). Present at the cell surface of oocytes and plays a key role in sperm-egg fusion, possibly by organizing multiprotein complexes and the morphology of the membrane required for the fusion (By similarity). In myoblasts, associates with CD81 and PTGFRN and inhibits myotube fusion during muscle regeneration (By similarity). In macrophages, associates with CD81 and beta-1 and beta-2 integrins, and prevents macrophage fusion into multinucleated giant cells

specialized in ingesting complement-opsonized large particles

(PubMed:12796480). Also prevents the fusion between mononuclear cell progenitors into osteoclasts in charge of bone resorption (By similarity). Acts as a

recepto

Subcellular Location:

Cell membrane ; Multi-pass membrane protein . Membrane ; Multi-pass membrane protein . Secreted, extracellular exosome . Note=Present at the cell



surface of oocytes. Accumulates in the adhesion area between the sperm and egg following interaction between IZUMO1 and its receptor IZUMO1R/JUNO. .

Expression:

Detected in platelets (at protein level) (PubMed:19640571). Expressed by a variety of hematopoietic and epithelial cells (PubMed:19640571).

Products Images