

## **CREB-2 Polyclonal Antibody**

Catalog No: YT1102

**Reactivity:** Human; Mouse

**Applications:** WB;ELISA

Target: CREB-2

Fields: >>MAPK signaling pathway;>>cGMP-PKG signaling pathway;>>Mitophagy -

animal;>>Protein processing in endoplasmic reticulum;>>PI3K-Akt signaling pathway;>>Apoptosis;>>Longevity regulating pathway;>>Adrenergic signaling in

cardiomyocytes;>>TNF signaling pathway;>>Long-term potentiation;>>Neurotrophin signaling pathway;>>Cholinergic

synapse;>>Dopaminergic synapse;>>Insulin secretion;>>GnRH signaling

pathway;>>Estrogen signaling pathway;>>Thyroid hormone

synthesis;>>Glucagon signaling pathway;>>Aldosterone synthesis and

secretion;>>Relaxin signaling pathway;>>Cortisol synthesis and

secretion;>>Parathyroid hormone synthesis, secretion and action;>>Non-alcoholic fatty liver disease;>>Cushing syndrome;>>Growth hormone synthesis, secretion and action;>>Alzheimer disease;>>Parkinson disease;>>Amyotrophic

lateral sclerosis;>>Prion disease;>>Pathways of neurodegeneration - multiple

diseases:>>Cocaine addiction:>>Amphetamine

addiction;>>Alcoholism;>>Hepatitis B;>>Human cytomegalovirus infection;>>Hu

Gene Name: ATF4

**Protein Name :** Cyclic AMP-dependent transcription factor ATF-4

Q06507

Human Gene Id: 468

**Human Swiss Prot** P18848

No:

Mouse Gene ld: 11911

**Mouse Swiss Prot** 

No:

Immunogen: Synthesized peptide derived from CREB-2 . at AA range: 160-240

**Specificity:** CREB-2 Polyclonal Antibody detects endogenous levels of CREB-2 protein.

1/3



**Formulation:** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

**Dilution:** WB 1:500 - 1:2000. ELISA: 1:10000. Not yet tested in other applications.

**Purification:** The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 38kD

**Cell Pathway :** MAPK\_ERK\_Growth;MAPK\_G\_Protein;Long-term

potentiation: Neurotrophin: GnRH: Prostate cancer:

**Background:** activating transcription factor 4(ATF4) Homo sapiens This gene encodes a

transcription factor that was originally identified as a widely expressed mammalian DNA binding protein that could bind a tax-responsive enhancer element in the LTR of HTLV-1. The encoded protein was also isolated and characterized as the cAMP-response element binding protein 2 (CREB-2). The protein encoded by this gene belongs to a family of DNA-binding proteins that includes the AP-1 family of transcription factors, cAMP-response element binding proteins (CREBs) and CREB-like proteins. These transcription factors share a leucine zipper region that is involved in protein-protein interactions, located C-terminal to a stretch of basic amino acids that functions as a DNA binding domain. Two alternative transcripts encoding the same protein have been described. Two pseudogenes are located on the X chromosome at q28 in a region containing a

large inverted duplication. [provid

**Function:** function:Transcriptional activator. Binds the cAMP response element (CRE)

(consensus: 5'-GTGACGT[AC][AG]-3'), a sequence present in many viral and cellular promoters. It binds to a Tax-responsive enhancer element in the long

terminal repeat of HTLV-I., similarity: Belongs to the bZIP

family.,similarity:Contains 1 bZIP domain.,subcellular location:Colocalizes with GABBR1 in hippocampal neuron dendritic membranes.,subunit:Interacts with the

C-terminal region of GABBR1 via the leucine zipper of its C-terminal bZIP domain. Interacts with the C-terminal region of GABBR2 (By similarity). Binds DNA as a homo-or heterodimer. Interacts with the N-terminal region of CEP290.,

Subcellular Location:

Nucleus . Nucleus speckle . Cytoplasm . Cell membrane . Cytoplasm, cytoskeleton, microtubule organizing center, centrosome . Colocalizes with GABBR1 in hippocampal neuron dendritic membranes (By similarity). Colocalizes with NEK6 at the centrosome (PubMed:20873783). Recruited to nuclear speckles

following interaction with EP300/p300 (PubMed:16219772)...



Expression :	Bladder, Colon, Fibroblast, Leukemic T-cell, Lung, Ovary, Placenta,
Sort :	2
No4 :	1
Host:	Rabbit
Modifications:	Unmodified

## **Products Images**

3/3