

## CD9 (PT0507R) PT® Rabbit mAb

Catalog No: YM8334

**Reactivity:** Human; Mouse; Rat;

**Applications:** WB;IHC;IF;IP;ELISA

Target: CD9

**Fields:** >>Hematopoietic cell lineage

P21926

P40240

Gene Name: CD9

Protein Name: CD9 antigen

Human Gene Id: 928

**Human Swiss Prot** 

No:

Mouse Gene Id: 12527

**Mouse Swiss Prot** 

No:

Rat Gene Id: 24936

Rat Swiss Prot No: P40241

**Specificity:** endogenous

Formulation: PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA

**Source:** Monoclonal, rabbit, IgG, Kappa

**Dilution:** IHC 1:200-1:1000;WB 1:2000-1:10000;IF 1:200-1:1000;ELISA

1:5000-1:20000;IP 1:50-1:200;

Purification: Protein A

1/3




**Modifications:** 

Unmodified


-15°C to -25°C/1 year(Do not lower than -25°C) **Storage Stability: Molecularweight:** 25kD 25kD Observed Band: **Cell Pathway:** Hematopoietic cell lineage; This gene encodes a member of the transmembrane 4 superfamily, also known **Background:** as the tetraspanin family. Tetraspanins are cell surface glycoproteins with four transmembrane domains that form multimeric complexes with other cell surface proteins. The encoded protein functions in many cellular processes including differentiation, adhesion, and signal transduction, and expression of this gene plays a critical role in the suppression of cancer cell motility and metastasis. [provided by RefSeq, Jan 2011], **Function:** function:Involved in platelet activation and aggregation. Regulates paranodal junction formation. Involved in cell adhesion, cell motility and tumor metastasis. Required for sperm-egg fusion.,PTM:Protein exists in three forms with molecular masses between 22 and 27 kDa, and is known to carry covalently linked fatty acids..similarity:Belongs to the tetraspanin (TM4SF) family..subunit:Forms both disulfide-linked homodimers and higher homooligomers as well as heterooligomers with other members of the tetraspanin family. Associates with CR2/CD21 and with PTGFRN/CD9P1. Interacts directly with IGSF8., tissue specificity: Expressed by a variety of hematopoietic and epithelial cells., Subcellular Membrane Location: Detected in platelets (at protein level) (PubMed:19640571). Expressed by a **Expression:** variety of hematopoietic and epithelial cells (PubMed:19640571). Tag: hot,recombinant Sort: 1 No3: ab236630 No4: Host: Rabbit




## **Products Images**



Various whole cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with anti-CD9 (PT0507R) antibody. The HRP-conjugated Goat anti-Rabbit IgG(H + L) antibody was used to detect the antibody. Lane 1: Rat womb Lane 2: Hela Lane 3: HCT-116 Lane 4: U-14 Predicted band size: 25kDa Observed band size: 25kDa



Human bladder carcinoma was stained with anti-CD9 (PT0507R) rabbit antibody



Human cervical carcinoma was stained with anti-CD9 (PT0507R) rabbit antibody