

RASA2 Polyclonal Antibody

Catalog No :	YN1855
Reactivity :	Human;Mouse;Rat
Applications :	WB;ELISA
Target :	RASA2
Fields :	>>MAPK signaling pathway;>>Ras signaling pathway;>>Viral carcinogenesis
Gene Name :	RASA2 GAP1M RASGAP
Protein Name :	Ras GTPase-activating protein 2 (GAP1m)
Human Gene Id :	5922
Human Swiss Prot No :	Q15283
Mouse Swiss Prot No :	P58069
Rat Swiss Prot No :	Q63713
Immunogen :	Synthesized peptide derived from part region of human protein
Specificity :	RASA2 Polyclonal Antibody detects endogenous levels of protein.
Formulation :	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source :	Polyclonal, Rabbit,IgG
Dilution :	WB 1:500-2000 ELISA 1:5000-20000
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml

Storage Stability :	<u>-15°C to -25°C/1 year(Do not lower than -25°C)</u>
Observed Band :	<u>93kD</u>
Cell Pathway :	<u>MAPK_ERK_Growth;MAPK_G_Protein;</u>
Background :	<u>The protein encoded by this gene is member of the GAP1 family of GTPase-activating proteins. The gene product stimulates the GTPase activity of normal RAS p21 but not its oncogenic counterpart. Acting as a suppressor of RAS function, the protein enhances the weak intrinsic GTPase activity of RAS proteins resulting in the inactive GDP-bound form of RAS, thereby allowing control of cellular proliferation and differentiation. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Dec 2014],</u>
Function :	<u>function:Inhibitory regulator of the Ras-cyclic AMP pathway. Binds inositol tetrakisphosphate (IP4).,similarity:Contains 1 Btk-type zinc finger.,similarity:Contains 1 PH domain.,similarity:Contains 1 Ras-GAP domain.,similarity:Contains 2 C2 domains.,</u>
Subcellular Location :	<u>Cytoplasm. Cytoplasm, perinuclear region.</u>
Expression :	<u>Blood,Brain,</u>
Sort :	<u>21180</u>
No4 :	<u>1</u>
Host :	<u>Rabbit</u>
Modifications :	<u>Unmodified</u>

Products Images