

Calretinin (ABT-Calret 1) mouse mAb

| | |
|------------------------------|---|
| Catalog No : | YM4902 |
| Reactivity : | Human;Mouse;Rat; |
| Applications : | IHC;WB;IF;ELISA |
| Target : | Calretinin |
| Gene Name : | CALB2 CAB29 |
| Protein Name : | Calretinin (CR) (29 kDa calbindin) |
| Human Gene Id : | 794 |
| Human Swiss Prot No : | P22676 |
| Immunogen : | Recombinant protein |
| Specificity : | The antibody can specifically recognize human Calretinin protein. |
| Formulation : | PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA |
| Source : | Mouse, Monoclonal/IgG2a, kappa |
| Dilution : | IHC 1:200-1000. WB 1:500-2000. IF 1:100-500. ELISA 1:1000-5000 |
| Purification : | Protein G |
| Storage Stability : | -15°C to -25°C/1 year(Do not lower than -25°C) |
| Molecularweight : | 31kD |
| Observed Band : | 29kD |
| Background : | Calretinin belongs to the excitatory protein C superfamily. It is a calcium binding protein with a molecular weight of 29 kDa, which is abundant in neurons. Calretinin expressed tumors include mesothelioma, cardiac myxoma, ovarian sex cord stromal tumor, ameloblastoma, thymic papillary carcinoma and so on. The |

staining sites are cytoplasm and nucleus, with or without membrane positive. Nuclear staining is a necessary special expression of mesothelioma. It is suggested to be used in the differential diagnosis of epithelial malignant mesothelioma and malignant lung adenocarcinoma.

Function :

function:Calretinin is a calcium-binding protein which is abundant in auditory neurons.,online information:Calbindin entry,similarity:Belongs to the calbindin family.,similarity:Contains 6 EF-hand domains.,tissue specificity:Brain.,

Subcellular Location :

Cytoplasmic, Nuclear

Expression :

Brain.

Tag :

recombinant,

Sort :

800

No4 :

1


Host :

Mouse


Modifications :

Unmodified


Products Images




Human appendix tissue was stained with anti-Calretinin(ABT-Calret 1) antibody.



Human mesothelioma tissue was stained with anti-Calretinin(ABT-Calret 1) antibody.



Human mesothelioma tissue was stained with anti-Calretinin(ABT-Calret 1) antibody.



Human testis tissue was stained with anti-Calretinin(ABT-Calret 1) antibody.